


NOTES BY

A. M. Morgan

Homoeopathic Med Coll

Philadelphia

1855



1096

E. Morell Apr. 1964 17.50

220954

April 29, 1964

Maintain direct contact upon the right side
Sticks do do do do left do

Prof^r Williamson on Materia Medica & Therapeutics

Cow's milk contains less saccharine matter than human milk, thus the necessity of adding sugar to cow's milk for infants. Woman's milk contains less Stearine & Buttime than cows. Fish having white meat & oysters cannot be used as articles of diet by Nephritis patients on account of the lime they contain. neither can Cranberries be used by such patients on account of peculiar acid contained.

The shells of the Crustacea ^(Tob. tur. Crabs &c) (shellfish) order contain a resinous matter which is brown in its natural state & red after boiling. As articles of diet they often produce Urticaria, Cholera Morbus &c. The flesh of the Oyster is more digestible in its raw state on account of albumen contained.

Rhubarb will produce colic & relaxation & is often a cause of Nephritis. Lemonade taken after a warm dinner will produce a colic in 30 minutes.

Alcohol & Nitric-ac produce nitric ether
do should be used for the 4th attenuation
Saccharine Lacti is obtained by heating whey &
adding rennet. as in cheese.

People of Africa & subarctic Rice live to the
age of 200 years. but universally loose their
vision - Ryō-Rice is injurious to sight

Pellets are a compound of sugar & starch.
Use a Marble or Stone press for expressing juice of plants

Preparation of Medicines

Take a clean vial, add two drops of Mother Tinct.
then add 200 drops alcohol (distilled), shake
it well for 20 minutes & you have 1st Attenuation
Take two drops of the last & add 200 drops alcohol &
proceed as before & you have the 2^d Attenuation

Continue the process as high as you please

The above was Hahnemann's method

In Hydrophobia give Saccharis & Bell
In apoplexy when mouth is closed give
the medicine by olfaction

Wild plants are preferable to cultivated ones
as the latter changes the character.

Plants should not be gathered when damp & none
but perfect ones should be used. Look out for insects

Use the stalks of green plants only -

To prepare the Mother Tincture's, wash
up & grind in an unglazed mortar, add a
little alcohol & express the juice. make it
about half alcohol & half juice

Acids have an affinity for Left Side
Alkalies " " Right Side

Individual Remedies

Aconitum Napellus

Monkshood. Blue Wolfsbane. Friar's cap
Flowers in May & June. root perennial

Stem 2 or 3 feet high & erect. Root is rounded
like a turnip. Flowers 5 leaved. Leaves palmated
Indigenous, & found in Europe

Acon (continued)

Grows in low portions of mountainous regions.
 Parts used are leaves, root & flowers. leaves chiefly.
 While taking Acon abstain from Veg-acids.
 It is "antiphlogistic". In cases of fright with fear
 with hot skin & quick pulse. duration of action
 from $\frac{1}{2}$ hour to 48. Languinous temperaments &
 robust constitutions are best adapted for Acon.
 Diminution of pain upon movement.

Amelioration upon movement in open air

Heemorrhage of bright red blood.

Wine of - all symptoms, worse at night. & worse
upon rising after lying down. Trembling of limbs.

Characteristic Symptoms

Local inflammations. Sensation of fullness
 of head. Plethora. Affections during catamenia.

Symptoms better in open air.

Pathological Anatomy —

Veins of bowels turgid with blood also the Liver
 Spleen turgid black blood. An effusion of
 yellow serum in abdomen.

Acon (continued)

5.

Abdomen distended. Blue spots upon neck & back
Alimentary canal red & inflamed —

DOSE. In attenuation & frequent repetition in
acute diseases. Higher & at longer intervals in chronic.

Antidotes. Vinegar — Camph — N Vom —

Compare with ^(Sulph) Am. Ars. Bell. Bry. Cam. Canth. Cham. Coff. Puls. Ruta. Sparg.

Therapeutics —

Dry, hot skin. Violent sticking pains in left side
Ag — by inspiration. In early stages of croup.
Quincy. Toothache from colds. Ophthalmia in new born child
Acute rheumatism. Urticaria. Dry hacking cough
of old smokers. Varices. Phlebitis.

^{in a tumbler of water}
Give 3 or 4 drops. In Trinit in dropsical swellings after Scarlet fever.

Particular Symptoms

Irritability. Noise is insupportable. Cannot bear to have bed clothes
moved. Hearing in head. Nausea upon rising from recumbent ^{Position}
Ag by movement & speaking in a warm room

Eyes, every thing turns black. Face, red while lying & pale on rising up.

Stool. Spongy Scrapings. Cutting pain
in Abdomen, Anus & rectum. Colic. Stching from Ascarides —

Acon (continued)

Bleeding Piles. Incontinence of Urine
Suppression of urine in infants. Brick dust
 sediment in urine. Bloody mucus, which ad-
 heres to the chamberpot. Most urinary symp-
 toms which occur during fevers. Itching & heat
 in male genitals. Early Gonorrhea —
 The 30th attenuation in one patient, always produced
 a slight discharge of red blood from anus, while no
 other attenuation would produce the same result.
Too profuse menstruation in robust females —
Suppressed menstruation in young females from cold's
accompanied with intense pain & mottled skin.
 Copious yellow Leucorrhoea. Watery Leucorrhoea with
 sensations of parts. Alternate with Sabina in last case.
 Dulness of the head & vertigo in pregnancy.
Pain in right hypochondria & ecchymosis per urose
while sitting, Am - by lying down - after first hour -
 Varicose veins of lower limbs. Haemoptysis after delivery.
Headache from mental excitement. & a severe re-
action after delivery. Purpural Fever

Acon (Continued)

7.

Mamma turgent with blood (not milk)
Milk fever "Weed". Phlegmasia dolens —
Inflammation of Uterus. When lochial discharge
has disappeared & returned again. Short, dry
cough worse in eve. Early stage of Whooping cough
In W Cough administer Acon in eve^{ng} & N Vom in morn^g.
Cough with expectoration of thick, white, bloody mucus
Acts particularly upon left lung. Asthma
Rheumatism of extremities aggravated by motion —

Arthusia Cynapium

Garden Hemlock — Dogs Parsley —

Clas 5 — Leaves, small & wedge shaped. fruit round
flowers white. recognized by beard & 3 leaves imme-
diately under the flower. Found in British Islands
Taste acrid. Use the whole plant. gather in flower
in July & Aug. Cut, Jamt, & ex pres juice —
Good in convulsions of children with the thumbs
turned in. Strabismus. Dilated pupils Trismus
Stupor Spasms Delirium — Poisonous

Arthrusia (Continued)

Eyes dim & sunken. Pupil dilated.

Mind. Anguish. Anxiety. Tensity. Insanity

Vertigo coming & going in open air. Violent Cephalalgia

Weight in forehead & pain in eye ball. Occiput Afternoon

headaches. Most symptoms occur in left side —

Produce sensation of dryness in throat

Symptoms of bowels warm in morn. Cough short afternoon

Agaricus Muscarius

Amanita — Bug Agaric. Fly Agaricus

Order Cryptogamia — Fungi — Poisonous

Scarlet red with white gills. Found in Europe, Asia

& America. grows in dry places. Tincture is yellow.

It has intoxicating properties. Collect in Autumn

Duration of Action 40 days

Antidote Coff. Wine. Puls. Compound Coff. Mux. phos

Pains in upper jaw & teeth & upper extremities. Eruptions

Stings. Lapsitude after Coition. Convulsions. Burning

lower extremities. Staggering. Epilepsy —

Campb is antidote. Large dose act for 8 weeks

Agaricus (Continued)

9.

Characteristics, Cramping pains in limbs, while sitting. Am by motion, Acts on great nervous centres—
Chiefly upon the skin & genitals. Chilblains

Agnus Castus (Chaste Tree)

Grows in Europe & is cultivated in gardens. Height from
3 to 6 feet & full of branches. Leaves digitated & foliated.
Flowers blue, violet—berries like pepper. When fresh is fragrant
Use leaves. Action 8 to 15 days. Itching yields to scratching but returns—
Fever with chill while flesh feels warm to the hand
Pulse 60—Moral Symptoms. Melancholy, Hypochondriac, desire for death—
Absent mind. Vertigo. Head—Pain upper part, bruised
feeling of right side, ag. by motion & in even^g. Itching of scalp—
Sensation of chilliness yet warm to touch. Dilatation of pupils
Burning & itching in eyes in evening. Boaring & Ringing of ears—
Saws (pain in) worn right side, ag. by warm food. Rumbling
of Bowels. Itching & Stinging of anus. Loose stools or Constipation
Urine dark & copious. debilitates male genitals. Emission of ^{semen} ~~semen~~
with flaccidity of penis. Yellowish discharge Gonorrhoea. whitish gleet—
Menorrhoea, Leucorrhoea. Sterility, miscarriages. Dyspnoea of chest—

Alces

Stem erect 1 1/2 or 2 feet high. stem woody & leafless. At the top
embraced by sword shaped leaves. Flowers scarlet at base
pale at centre & green at top. Grows on summits & sides of
mountains. Leaves wither at any period of the year.
Gum rendered dark by exposure to air. glossy fracture.
Bright yellow when powdered. It has a peculiar affinity for
the large intestines, colon —

Genlemaciation. Congestion to head. heat of abdomen.
Alces has a direct action upon Sigmoid & Rectum. Hemorrhoids.
Periodical headaches & pain in small of back. diminished
appetite & increased thirst. Pruritus taste of ingesta
Beating, burning & sticking in Umbilicus. Cutting in abdomen.
Rumbling follows course of colon. Stools yellowish containing bile,
heat & nausea during evacuations which have a putrid odor.
Summy discharges & mucus. Intense tenesmus. Burning in rectum.
Sudden call to stool while standing in morning. Cholera
Painless diarrhoea. Constipation with vain desire to pass faeces —
Ascariides. Fistula in Ano. Ulceration of the rectum
Scanty, hot urine. prolapsus ani — Profuse menstruation. Leucorrhoea

Alumina (Pure clay) (Argilla)

Moroseness. Fearfulness. (Easily starting up from
 fright) Vertigo. Headache as though the hair were being
 pulled out, with nausea. Oppression of fore head. Headache
 without pressure from within outwards. Itching of forehead —
 Sensation of cold in the eyes, when walking in the open air —
 Redness of the nose. ~~Lancinating & tearing in maxillary bones.~~ Irregular
 appetite, some rising — Impidity of rectum. Discharge of Prostatic fluid —
 scanty & painful menstruation. Leucorrhoea. ~~Disposition to~~
 take cold. Rawness in throat. Cough. Pain in Thyroid cartilage
 when touching it. Has a decided action upon the skin. Whitlow. Cold feet —
 tremor & twitching while sitting. Deficiency of Animal heat.
 Sleep light with dreams. Bryonia is an antidote in Alumina fevers —
 Tearing & drawing pain in limbs. Feeling of constriction in internal organs —
 Pressure like pain in bones. Jerking of limbs. Affections from abuse of Mercury.
 Potatoes ^{have been} ~~have been~~ indigestible
 Congestion to head & chest, principally in morning. Vision, black. Effect right side.

Characteristic's. Symptoms appear while sitting & go off when walking —
 Corrosive itching of skin. Worse when warm in bed. Herpes. Internal chill not better by heat
 that without thirst. Reeling Vertigo. Headache in forehead. Nausea. Ophthalgia. Dandruff
 pressure & burning in eyes. Crackling in ears. Diminished sense of smell. Dry green
 mucus. Stuent coryza. Left nostril & dry in right. Gloomy countenance. Facial
 neuralgia. Pain in teeth as though they were elongated. Pain of teeth during pregnancy —
 Inclination to vomit after eating potatoes. Dyspepsia of females. Pyrosis. Constipation. Piles —
 Affections of kidneys. Thick white sediment in urine. Itching of genitals during 1st pregnancy —

Ambra Grisea

Bilary secretions of Whales. The best is obtained from Sumatra. It is lighter than water. Brown externally & lightish gray internal. Taste is flat. Of an aromatic odor when heated. Consistence like wax. Solvent in ether. Duration of action by Hahnemann 40 days - Conclusions. Spasms. cramping sensations. Aching pain in internal organs & in joints. Pulse fast. Arterial throbbing. Numbness of head Irritability. Languor relieved by walking. Weakness in morn. cant walk alone Vertigo. Cold sweat of face & hands. Diseases of old age - Many of the symptoms appear during sleep & disappear after waking - Itching & burning of Skin - Drowsiness during the day & sleeplessness at night. full of dreams & talking Internal chill prevents sleeping. Rushes of heat. Night sweat.

Giddiness of head in morning as after a debauch. Vertigo in open air - Headache with fear of losing his reason. pain in forehead, pressure above, down - Itching pain above temples. Looseness of scalp when touched. Pimples upon forehead. Jaundiced complexion. Pain in decayed teeth as warm. am cold - Anguish at throat pit as though food had lodged - acid taste after drinking milk. Crampy pressure in abdomen. Colic pains with cold hands & feet. coldness of head. Intermittent, irregular stools, ineffectual urging Copious, loose, light brown stools with itching of anus. Urine yellow urine & brown sediment - Chills & burning of bottom of feet -

Ammoniacum (Gummi)

Vegetable, Root perennial. Exudes in tears or lumps. Found Persia & Africa.
 Unpleasant. Ether-Alcohol is its solvent. Used by the ancients in many
 Pulmonary affections, Swellings of joints, Gout, Rheum. Pulse small
 quick & hard. Dullness of mind, dull pain in head & heaviness
 Dimness of Vision. Itching of hairy scalp. Photophobia. Hearing
 in ears. Dryness of nose in morning. Gastric symptoms. Constipation
Absence of taste anterior part of tongue. Itching of Genitals
 Tickling of chest but no desire to cough.

Ammonium Carbonicum

Volatile salts. Soluble in four times its weight of water. Great
 fearfulness. Symptoms as in ore. Vertigo when sitting or reading. Headache &
 wavering before eyes with black points & streaks. Deafness. Suppuration of ears
 Cracking in articulation of jaw. Bitter eructations after a meal. Desire to eat sugar
 Colic with diarrhoea. Leucorrhoea. Profuse menstruation. Cold hands & feet, affect right side.
 Emaciation Fatigue when walking. Bruised feeling in limbs. Antidote. Camph
 Itching of skin, in scarlatina with swelling of glands. Dry heat of Stomach & general burning.
Headache sensation of water in brain. Singing as of bells in ears. Blisters upon forehead & face.
 Toothache painful when pressed together at night. Retention of stool with looseness after
 Itching & burning in rectum. Urine red after dinner. Premature menstruation. Pale face.
 When Leucorrhoea is in the uterus it is much more incurable than when it
 occurs in Vagina. Cough occurs at 2 o'clock A.M.

Ammonia causticum (Water of Ammonia)

Dullness, pressure like pain in face & head with bursting sensation. Stiffness of nose with thin coryza. Petrid sore throat. Burning at Stomach & Vomiting which is relieved by Alkalies. Burning at Anus. Menses too soon & too copious. Cough & expectoration of mucus with a low & feeble voice, attended with sensation of oppression.

Ammonia muriaticum (Sal Ammoniac)

Found in volcanoes, coal mines, springs, plants &c &c. Crude & Refined varieties. It is white, translucent, tough, fibrous, concavo-convex in shape & 2 inches thick. It should be crystallized before used.

Peevish whining mood. Dullness. Empty erue. Stiches in hypochondria. Soreness of rectum while sitting. Lancinations to nape of neck while sneezing. Cold feet & hands. Paralytic weakness. Shooting & stinging in tips of toes. All symptoms are in open air. Itching of skin & afterward burning. Lard dreams. Pain in small of back awakening him from sleep. Heat in palms of the hands during the evening with redness of the face. Thirst during the chills & heat. Melancholy mood. Vertigo in a room going off in the open air. Headache. Fullness & weight of the head. Burning in Carath of eyes. Irritation of eyelids. Yellow spots before the eyes, when sewing. Running of thin wax from the ears. Vesicles at the tip of tongue which burn like fire when touched. Sore throat with rawness. Bitter eructations. Nausea with oppression of Stomach & inclination to eat immediately after vomiting. Water brash. Pyrosis. Constipation with colic & sensation portending diarrhoea. Bright yellow urine with clay sediment. Menses two days too soon with pain. Discharge of blood during stool, during catamenia. Blowing Leucorrhoea, also

Brown Leucorrhoea, Swelling of Axillary glands —

Anacardium (Cashew nut)

Coffee Crud. is an antidote. Hypochondriac mood
 Depravity. Sensation as of two wills. Hemorrhoids
 Burning in glans penis. Leoryza. Drawing pains
 Itching of skin increased by scratching. Urticaria. Chill
 in a warm room. Internal heat with cold sweat.
 Anxiety. Expect ill fortune. Braised sensation in the head.
 Vertigo on stooping or turning. Headache. Pressure in right
 temple & vertex, Sensation of tight band about head.
 Humming in ears. Rawness of throat. Rumbling in region of
 Umbilicus. Pain around Umbilicus. Stools first soft then
hard. Emission of Prostatic fluid during stool. Pressure upon
 tip of head, when taking a deep inspiration. Soreness & rawness
 in chest. Sensation as of a heavy load upon nape of neck
 Coldness of feet when walking —

Angustura cortex —

Grows in Central America. Bark thin. Flowers in Aug & Sept, ripens
 in Oct & Nov. Ulcers. Caries. Sensation of heat in cheeks not felt
 by touch. Rumbling in abdomen early in morning.
 Loose stools & tenesmus.

Anthrakokali (Anthracite coal)

A solution of Anthracite coal in Caustic Potash.

Urticaria, comes on at night & disappears in morning. Gripping pains & diarrhea, worse at night.

Antimorium crudum

Sulphuret of Antimony. Has a metallic luster. Found native in Hungary, France, Cornwall & East Indies.

In children, they cannot bear to be looked at or touched. Indigestion. Discharge of mucus from anus. Sensation of cold.

Antidotes. Hepar Sulph. & Meers. Malformations of the skin. Excessive flow of saliva. Unprepared eruptions. Itching blotches which are as when getting warm in bed.

Patient complains of no pain. Headache, better in open air as by riding in a carriage & facing the sun. Sick headache

Eruptions of scalp which itches at night in bed - Gaggling

Diseases of eyes which arise from disorders of Stomach.

Toothache - as by cold water & eating. White coated tongue

with blisters. Indigestion. Constipation. Constipation alternating with diarrhea in old people. Diarrhea in Pregnant females

Prolapsus Ani. Chills & Hairs

Argentum foliatum - Silver

Used in Diabetes - Vertigo. Headache as if intoxicated + as if there was smoke in the brain. Nocturnal emissions. Compare with Merc. Pels. Nitrac + Aurum.. Mercurial pains are in the superficial bones, Argentum pains in bones covered with muscles -

Argentum nitricum - Nitrate of Silver -

Dissolve fine silver in twice its weight of Nitrac - It acts upon nervous system + muscular tissue. Sore Throat which occurs ^{in the} night. Vertigo + Headache - Acts particularly upon left side - Head feels enlarged or swollen - Am, by tying a handkerchief about head. Opacity of cornea - Dissolve for Chamusca sugar

Arnica montana

Leopardsbane. Mountain Tobacco.. Each leaf of flower has 3 points. Native of Europe - Switzerland. Incompatible with vinegar. Root, flower + leaves - sometimes used. For internal administration. Prepare the root. 1 part of powdered root to 20 pts of alcohol (weight) Antidotes, Camph. &c. Oil of Arnica - macerate the flowers in pure olive oil. Arnica plaster (count) spread the inspissated tincture over silk. Duration of action 6 days - Used in bad effects from china, jaccitation of limbs -

Arnica montana (Continued)

Twitching of muscles. Burning of feet.

In Typhus fever when the patient complains of no symptoms. — Bruises. Wounds. Wandering pains

Pains are agitated by talking, moving or noise.

In wounds of periosteum give Ruta graveolens. In disease of hip joint give Sedum. — Intermittent & Typhus fever. Pain in bones. Delirium, with sensation as though the flesh was being torn from the bones, by dogs —

Hæmatemesis. Eructations & emission of flatulences with the smell of rotten eggs — Veratrum & Arnica in Brown's diarrhoea.

Whitish stools. Blind hemorrhoids. Laceration of Hæmorrhoids.

Sore nipples from excoriation. Haemoptysis of frothy, bright-red blood. Aching pains from mechanical injuries.

Arsenicum album. (Ratsbane)

Obtained principally from Germany. The best antidote for a poisonous dose is the Hydrated sesquioxide of Iron.

Antidote for small doses — Iodine, Spec. Nuc. Vom. & Tobacco.

Intermittent & remittent fevers. Swelling of face & scalp —

Extreme prostration & trembling, Diseases of mucous membrane,

Arsenicum album (continued)

Diseases arising from abuse of China & Iodine —

Characteristics. Melancholy. Choleric temperament
Symptoms felt at night when sleeping. Periodicity. Ag. after
dinner. Am by movement, compression & warmth —
Bad smelling flatus. Burning, itching & sometimes coldness of skin.
Urticaria, Petechia. All eruptions with burning sensation at night.
Ulcers, Dropsy. Excessive thirst but taking small draughts.
At demerit typhus. All diseases of a low grade. Cholera
 when there is a husky change of voice. Headache, generally re-
 lieved by the application of cold water. Pain over the
root of nose. Sick headache. Ars alternated with sulph
 will cure most cases of the last. Smelling of head or scalp
Scalp feels painful as from subcutaneous ulceration. Hydrops
oculi — Swelling of cervical glands —
Ophthalmia, Photophobia. Roaring of ears during the pain —
Tongue of a bluish white. Aphthae in Oropharynx. Putrid taste
in mouth. desire for acids. Diseases of the heart. Principles puritonic
Vomit all he eats & drinks. Spice & Veratrum
 cures the last symptom, also —

Arsenicum album (Continued)

Diarrhea after eating & drinking. Worse between midnight & noon.
Watery, burning, putrid, acrid stool. Dysentery, relief after stool.
Undigested stool, Inflammation of male genitals. Leucorrhoea
Cancer Uteri + use 200th or 400th attenuation, Hoarseness & burning in larynx
Cough worse after eating & drinking. Asthma. - Ag - by speaking, walking &
ascending an eminence

Arsenicum Metaticum

Proved by a gentleman of the clap - (lost term) (Stephenson)
Depression of spirits. Vertigo. Headache left ear & left eye -
with nausea. Head feels swollen. Itching of scalp. Shout coryza.
Itching relieved by pressure. Heated tongue. Eruption of hot bile.
See bleeding varices right side. Gripping pain in bowels &
watery stool. Symptom, principally, left side. Pulsations
under Sternum. General emaciation. Headache returning
every two weeks. Ag - by drinking brandy - drowsiness
Accelerated pulse

Arsenicum Fer sulphurei see Hall, Jahr

Artemisia Vulgaris - Mugwort

Used in Epilepsy in pregnancy. Gastric fever when passing into
typhoid. Diarrhea in children & adults.

Arum maculatum (Wake robin)

Found in Europe — See Halls Jahr — (mid)

Arum - trifolium. Indian turnip

Action especially upon mucus membrane. Burning & inflammation of stomach & bowels — affections of throat —

Asa fatida — A gum resin —

In old school practice, an antispasmodic, used in Whooping cough —

Macerate 50 grs of gum in 1000 grt alcohol — Used in palpitation of heart which follows habitual discharges. Scrofula — Glandular swellings — Headache in forehead & above the eyes —

Asarum Europaeum ~~Asarabacca~~

It is said to destroy the procreating power in man. Strumpets

often use it to produce abortion — also Colocynthis

For Pathogenesis see Halls Jahr —

Asparagus —

Produces a copious flow of urine & acts upon the heart.

Athamanta. (Mountain parsley)

But little known — see Halls Jahr —

Aurum metallicum Gold

Is used as an antidote to Mercury - Inguinal hernia
Grand remedy in melancholy with disposition to suicide.
Syphilitic ulcerations & nodes - Prolapsus uteri with Ozena -

Aurum - mur -

Spasms, convulsions. Syphilitic ulcerations of mouth.

Baryta carbonica

Mineral. found in Sweden - semitranslucent crystals.
 When pure it is entirely soluble in Muriatic acid -

Dread of strangers. Great liability to take cold - especially throat
Angina. Dry Croup. Limbs go to sleep when lying upon them.

Consequences of cold. Scrofula. Irritation of muscles also Lys & Gr.

Affect Left side body. Suffering comes when sitting & go off
 in open air. Pricking, tingling & burning - Whitlows. Wens -

Nausea frequently at night; in bed. Headache am by open air -
 Diseases of drunkards. Headache in evening in forehead & over eyes -

Pains as by noise & a warm room. Scrofulous of Thalmic
 Dimness & fogging before the eyes. Gums pale red &
 bordered by a dark red stripe

23.

Raue's soreness of throat, worse when swallowing saliva, & even to touch externally - also accompanied by a secretion of dark brown urine. Stomach symptoms as by fasting & motion. Dysenteric & Diarrhetic stools with pain in lumbar region - Scanty menses. Tosshache before catamenia. Dry hacking cough with saltish expectoration. Increased action of heart.

Baryta muristica.

Antidote - Carb. Bar. Antidote to large doses Albumen - Scrofula. Laccitation of limbs. Pimples of face. Tinea capiti. In eruptions of head with Calc. Hypos. Lyc. Sulph. Diarrhea - whitish sediment in urine.

Benzoic acid. (Flowers of Benzoin)

Obtained by sublimation from gum Benzoin - Soluble in Alcohol. Hard bounding pulse. Fetid, watery, white stools in children. Irritability of Bladder & frequent desire to pass urine in old people. Strong urinous odor. Urine of brandy color. Sneezing, hoarseness & hacking cough. Swelling of joints of great tor. Arthritic deposits about joints. Syphilitic rheumatism. Nephritic colic.

Belladonna (deadly nightshade)

Williamson's method of preparing the Tincture from succulent plants is to macerate top in alcohol. Then macerate the root in alcohol for 10 or 12 days & add both together.

Compare with Acon. Ars. Cham. Ciff. Con. Dig. Dule. Hys. Lach. Nit. ac. Sp. Stramon. Antidote for over dose. Camph. Ciff. Op. Stram. & Puls —

Viniger as symptoms. Used in Hydrophobia. Rethoric people Phlegmonous — Lymphatic complaints. Glandular swellings, Diseases of Brain. Mild & amiable dispositions — Cramps during sleep & waking from — Scarlatina. Purple rash, disease of mucous membranes, Variolæ, Erysipelas, Boils, chilblains — Ulcers which burn when touched. Sleeping but cannot sleep. Intermittent fevers. Heat of head & face with delirium — Photophobia. Meningitis. Repeated eruptions which tend to affect the brain. Great dread of impending danger. Senses keener than usual. Delirium Periodical headaches with heaviness of eyes. Nausea amino room as in open air Head feels heavy. Brain presses out. has to close his eyes Megrin Throbbing — sensation as if the brain were ascending & descending upon walking — Pain in centre of forehead. Headaches worse at night or at 3 or 4 o'clock P.M. as by motion, contact & sleep. stooping. lying down. in a warm room. Sensation creep of scalp to touch. Vertigo & nausea

Rolling of the vortex into the pillars in children. In Rheg. the head rolls from side to side. Opium the vortex symptom is connected with Opisthotonus. Alternate redness & paleness of face. Heat of Vortex. Warmth of body & cold feet. Bluish redness of face. Whizzing in the ears at every pulsation. Itching of muscles of face. Entropion. Scorfulous ophthalmia. Bloodshot eyes. Double vision. Inverted vision. Strabismus. Stiff neck with deafness. Mumps. Epistaxis. Tetanus preceded by grasping in abdomen. Toothache with drawing in the ear. Teeth painful when biting as though the roots were ulcerated & as though they would break off. Trembling tongue. red & rough tongue. Angina painful swallowing liquids. Bitter eructations. Burning & stitches in stomach. Colic as if intestines were seized with nails. Defecating with tenderness of abdomen. Diarrhea. Rills after taking Sulfur. Nephritis & Nephritic colic - alternate with earth. Menstrual difficulties with paleness & redness of face alternated & with ematation as if every thing would fall through external genital. Pregnant females. Ophthalmia of new born infants. A greenish discharge from annus of infants. Hoarseness. Aphonia - constriction of throat. Whooping cough. Parpura at nape of neck during cough with screaming & strabismus.

Berberis Vulgaris

(Barberry). Smarting pains as if from ex-
coriation, in genitals. Feeling as if bruised.

Acts particularly upon left side. Symptoms ag-
gravated in the afternoon. Acts upon Urinary organs.
Gnawing, sticking, drawing & aching deep seated
in the side of abdomen & extend either to the
kidney or down to the bladder. Great sensitiveness
just above crest of ilium. Pain sometimes extends
down into thighs. Pain in region of bladder.
Mucous sediment or brick dust sediment in urine.

Bismuth. Subnitrate of Bismuth.

Aphthae - Desire for cold drinks. Gastralgia —

Borax. Bi-borate of Soda

Brought from Calcutta in crystals. A neutral salt
Soluble in 2 parts of hot water. Inject solution in aphthae of
female genitals. Aphthae of children. — Sensitive temperament.

Coff cruce & cham antitotes. Eustic aff of children

Sterility - Inj. of old people —

Diseases of mucous membranes.

Boristā Puff Ball

Langue. Bleated abdomen. Flatulence. Moist-herpes which itch in evening & ag by or after washing.

Stupefying headache. Headache as if both sides were pressed towards one another especially after a walk in the open air. Sensation as though the head were swollen.

Branca Ursina Cow Parsnip

Parts used are Root - leaves -

Epilepsy - Prepares while in the flower.

Headache ag by movement - only exhalation from scalp.

Bromine

Contained in the water of many eastern seas & springs. Make attenuations up to 6th in water.

Consumption Croup - acts upon right lung. Phosph acts upon left lung. Pains ag in a warm room and by riding in the open air - Acts upon the glandular system. When the patient stops, sensation as if blood was rushing into this diseased part of throat.

Brucea antidysenterica

Bark grows in Abyssinia. Spurious *Angustura* Use bark.
Paralysis of spinal marrow. Spasmodic diarrhea —
Child cannot bear to be touched. Movement excites
pain. — Ophiostoma. Hemiplegia. Rheumatism
Inclination to walk upon external malleolus.
Tearing & darting pains in the limbs. Pains of
in the ear. Trismus. Pains of by noise, heat & movement.

Bryonia alba

Root is of fleshy structure & is the part used —
Allopathic Hydrogogue. dose from 20 to 60 ℥
compare with Alum Lye Rhus Puls — 2^d Ann. ac. Cham
dem dyn. Lacks N-ism — In diseases of the chest
med. ag. & a repetition produce an amelioration
Antidote ^{to it} Acen Cham Ign W. Corro. It antidotes Alum & Rhus.

Chills predominate in fever & Rheumatism.
Symptoms of & appear by motion, are by rest. Dark complexion
liable to inflammatory diseases. In action congestions. Hemisramia
Diseases after scarlatina. Quamelsome disposition. Mucous affections
Pains of by contact. In luxations which are spontaneous.

In refused eruptive diseases. Rheumatism of wrist & elbow
 aff. the joint. Fever with beating in forehead & sensation as
 if brain were going to fall out. Chills. Great thirst. Typhoid
 fever. When violent congestion & constipation, dry heat of body —
 Billious fever, nausea with inclination to vomit. Gastric symptoms
 Dyspepsia. Great pain in stomach after eating. Dyspepsia
 of drunkards. Constriction at Cardia or Pylorus immediately
 upon swallowing. Pain in region of liver & constipation, brought on
 by sedentary life. Colic of lying in women. Diarrhea & Constipa-
 tion alternating. Constipation in infants. Eriplepsy after Cholera.
 Tumefaction of parts. Phlegmasia dolens. Restoration of the
 lockia when there is puffiness fullness of head. Stitches in chest
 Dyspepsia of unmarried females. Bronchitis. Hoarseness after
 a meal. Influenza with cough causing headache & pain in
 the epigastrium. Cough with vomiting after eating. Chronic
 cough. Convulsion & Whooping cough. Pneumonia & Pleuritis.
 Hydrothorax. Symptoms worse in eve & upon waking
 As after a meal & am while at rest. Stitches with
 inability to move. Bruised pains. Epistaxis
 Diarrhea of children in warm weather.

Caladium Sequinum (Common Arum)
 Juice acrid - Small doses as by Capsicum, Pyrosis
 Impotence. In persons of lax fibre, bones of forearm - by symptoms
 occur during the day time -

Calcareo Carbonica. Subcarbonate of lime
 Obtained from oyster shells. Triturate white part of shell
 with Sacchar. — Calomelia appears before its
time + is profuse - Affections of old people. Administer
 single dose + don't repeat before using some other remedy.
 Used in diseases of Stomach, bowels, skin + glands —
Frail individuals who were stout in youth. Leucorrhoea
 attended with muscular weakness. Iscians of drunkards.
 Scrofulous ophthalmia. Worms. Deficiency of ossification
about fontanel in fat children. Urinary diseases.
 Urticaria. Scrofula. Diarrhoea of consumption patients.
Diarrhoea in children during dentition. Watery
 slimy evac with cadaverous smell. Ivor. burning of hands
feet. Cholera infantum. Rapid emaciation. Undigested food
 obesity of young men. Dry scurfy eruption on scalp of child.
 Cough in consumption. Chronic hoarseness.

Calcareo causticum. Quick Lime —

Oxide of Calcium. Obtained for Nomos purposes from Oyster shells. Symptoms — Tearing & lacerating, deep seated pains, sticking pains. Pains predominate in left side. Diseases of mucus membranes. Organs of sense & voluntary motion —

Calc-phosph. Phosphate of Lime

Obtained from bones. — Rheumatism. Paralytic lameness of arms — pain in joints of hands & fingers, feet & toes.

Exostosis of bones of cranium. Burning itching & formication over whole body. Acts upon smaller articulations

Pains are increased by motion.

Calendula (Common yellow Marigold)

Order Poligamia. Plant 6 to 12 inches high. Native of Europe. Gather the plant when in flower. use leaves, flowers & buds — Compare with Arn. Cors. Sympth. & Sedum —

Rheumatic drawing pains during motion. Used in lacerated wounds. Used when the wound becomes raw & in more & stinging as if it would suppurate. tendency to start nervousness. acute hearing. frequent micturition —

Calendula (continued)

Symptoms appear during the chills in fever. Aggravated by motion. Ecchymosis. Infiltration of soft tissues & when there is a loss of substance. It prevents a scar
Aqua Calendula is made by macerating the leaves & flowers in water, in the sun. Tinct is for water & Alcohol.
 Traumatic inflammation of eyes, & inflammations which arise from inflammations which arise from injuries to eye.

Camphor

Extracted from roots & wood of Camphora tree
 Used in Typhoid fever, Variola, Scarlatina, Melancholia
 Chronic rheumatism, Cholera & Cholera morbus, Paralytic weakness of muscles, Bloated constitutions, Phlegmatic, old people. It prepares the system for operation of other remedies.
Colapse, slow pulse, cold surface, stupefaction of senses,
Dry feeling in & about the body, pains between scapula
Pain in periosteum, uneasy feeling in whole body,
Antidote, most of our Vegetable remedies in small doses
Pain during motion, failing of strength at onset of disease,
Spasms, Convulsions, Witching of limbs, Pain worse

while thinking of himself, for the first day. Pain in head.
Am while engaged about something. Vertigo, headache.
 Disease of stomach & bowels, burning & excessive thirst.
 Vomiting followed by vertigo. Cramps especially in calves.
 Coldness. - When the heat is restored cease giving the remedy.
 Pains & rumbling in abdomen.

Cannabis sativa (Hemp)

Homoeopaths use tops of plants & flowers of female plants,
 rub them in alcohol & express the juice.

Rheumatic pains, deep seated pains in long bones,
Prickling as with a thousand needles, perspiration at night
 with anguish. Hysterical symptoms, Tetanus, Delirium
 Tremens after a meal, affections of the heart, lungs,
 head & eyes, diseases of urinary organs, diseases of the
 lungs with oppression. it acts particularly upon left
 lung, colic, Diarrhea. Bearing down & inclination
 to stool, with urinary difficulty. Stool in small lumps.
 Inflammation of mucous membranes, heat, burning & sharp pains
 stitches in urethra. Almost specific in early Gonorrhoea
 with a greenish yellow discharge. Leucorrhoea, Profuse catamenia,

Cannabium Apocynum
 (Native Indian Hemp) Used in Hydrothorax.
 In cases that have been maltreated by Quinine
 especially when acitis has followed —

Cantharides (Spanish fly)
 The body of the fly is covered with fine gray hairs —
 Camphora in small doses is an antidote for the
 Strangury produced by Cantharides Blister —
 Camphor is the proper antidote in all cases —
 Used in Convulsive diseases, Tetanus, Angina, Inabil-
 ity to swallow water, Dropsical complaints,
 Dysipulatus ulcers with callous edges, Corrosive
 Cholera, Dysuria, Many female sexual diseases —
 Leucorrhoea with acrid burning during urination —
 Characteristics, Burning & soreness external & internal,
 burning biting & stinging pains, Dysipulatus
 swelling of skin, looses a great all pains —
 Hemorrhoea — with burning micturition

Capsicum (Cayenne pepper)

Flowers in July & Aug. ripens in Oct. Use the Capsule.

Superficial drawing pains, reexcited by motion.

Stiffness of joints after lying down, weariness in the morning. dreads exercise. Pains occur at eve & night. Ag by Contact. Open air. & cold temperature.

Antidote. Camph. Coff. China

Pains of face from exposure to cold. Megrin. Pyrosis of pregnant females. Diarrhea & Dysentery with burning at anus. Blind hemorrhoids — Second stage of gonorrhea. cordee, pains in perineum.

Carbo animalis

Animal charcoal. Antidote — camphor

Scrofulous & venous constitution. Swelling with lancinating pain. Polypi. easily takes cold. Disease of Parotid gland. Bubo in scrofulous persons.

tinea capitis. itching of face & pimples after shaving. Abdominal typhus. Induration of mammary glands —

Carbo. vegetabilis charcoal

Antidote, ars + coff. In Venous constitution, hemorrhoids, melancholy, Hysteria, Hypochondriasis, Sensations of cold — Coldness about the heart, — fear of ghosts, mortification,

liability to take cold, effect of Murex + china, Angina scarlatina, Urticaria, Prurigo, with sloughing, gangrene of toes, Antidote ars — In intermittent fevers which are perpetuated by Quinine or Fowler's solution, Red sores Asiatic Cholera, low typhus, ailing after a debauch — Laryngitis, Drawing pains in limbs — Burning or cold sensations, limbs go to sleep easily. Affect left side — Sudden weakness —

Cascarilla

Bark, comes in quills, it is of a whitish & gray color internal surface smooth, has a resinous fracture, hot & bitter taste. Used in fevers, & diseases of Viscera

As yet but little known —

Castoreum

Obtained from the beaver is not the testicle as has been supposed. Use in affections of pregnancy & in premonitory pains. Jaundice. Vomiting of pregnant females. Great excitability, as after dinner. Am by perfume & warmth.

Causticum

Scrophulous diseases. Females ex. debility from long grief. Rheumatic & Arthritic affections. Paralysis of one side. Affections of chest & throat. partial lameness, or imperfect paralysis of one side. Paralysis from repelled eruptions. Hysteria. Epilepsy. In Epilepsy give Cinnamon first - St Vitus dance, Headache with Vertigo. Periodical headache with inclination to fall backward, especially after rising up. Stitches in temple & vertex in evening. Cataract. Spectacles before the eyes. incipient amaurosis. Otitis. Paralysis of one side of the face. Ophthalmia. Ophthalgia. Scrophulous gums. Fistulous ulcers in mouth. Elongation of teeth. Hemorrhoids. hemorrhage during evacuation. Wetting of the bed in children. Silicia is a specific. Pains when sitting. Amby exercise & open air. Sensation as if bruised by blows. Act upon left side.

Chamomilla

Pains which have a great effect upon the mind.
Not indicated when the patient suffers quietly.
 Weariness, stiffness or bruised pain in all joints.
Sore upon motion & contact in all complaints.
 Headaches. Cholera &c. Am. by rest as by motion.
 Convulsions. Twitching of limbs upon falling to sleep.
 In diseases of children. Convulsions during dentition.
Child grasps at something, distortion of countenance.
 Cataplexy. Cold extremities with half closed eyes &
 frothing at the mouth in epilepsy. Irregularity
of animal heat, especially in children grasps
one cheek pale & the other red or one foot cold, the other warm.

Chelidonium cellendine

Grows about outhouses. Jaundice, Scrophulous aff. Alopathies
 Hemorrh- Chronic affs of viscera, general lameness, shooting
 pains, weariness, indolence after a meal. Old spreading sores
 local application in hemorrhoids

China (Chinchona)

Introduced into Europe in 1640. Tree grows 15 or 16 ft high. External bark rough, internal smooth & yellow. Used in Allopathic practice as a febrifuge, Intermittent fevers - typhoid fevers. Hemorrhages. dose from 23 to 123

Sulphate Quinine dose from 1 to 8 grs -

General Symptoms. Homoeopathic

Excessive nervous sensibility. weakness of joints. languid condition of mind & body. great debility. Weakness from loss of fluids. Dropsical affections. Atrophy in children. Pains as by contact.

Worse at night & after meals. diseases of an intermittent type. Dysentery in a miasmatic region. Diarrhea Chronic & sometimes painful - after eating fruit.

Hemorrhage of the Uterus. Stomach & Nose.

Too long continuance of the lochia. Leucorrhoea. Pneumonia Incipient phthisis. Antidotes. Nat-mur. Eup-fol. Ars Repar. Cham. Puls. Spec. N-Vom. Carb-Veg

Cicuta virosa

Water hemlock - Cowbane

Infusion of galls is a good antidote.
Symptoms. Trembling in upper & lower limbs.
Cataplexy. Epilepsy. Convulsions. Vertigo.
Delirium. Acts particularly upon nervous system.
Inflammation of intestinal canal -

Cimex lectularis (bed bug)

Crush the insect while alive & macerate in Alcohol. Acts upon right side -

Used in Tertian & Quartan intermittent fevers

Cina

Mugwort of Judea - *Artemisia veranifuga* -

Hemorrhoids - Worms. Turbid abdomen in children -

Whooping cough, clicking sound in the throat after cough
nocturnal fevers. Epistaxis. Oenuresis. Sticking at nose.

Cinnabaris

Obstinate cause of venereal disease. Itodes -

Cinnamomum

Bleeding immediately after delivery. After pains -

Cistus canadensis

Wild Canadian rose. Grows upon barren ridges & sandy soil. flowers in June. Allopathic dose of extract 2 grs.

Symptoms. Glandular diseases, scurvy cold feet in leucophlegmatic temperaments. Scrofulous affections.

Citric Lemon juice

Antidote Euphor & Stram. Use expressed juice of the common lemon. - Scurvy. In ladies when there is an indisposition to take care of her family - Every thing troubles, run it up in alcohol

Clematis erecta.

Wright virgin's bower. Clasp Polyandria order Monogamia. Leaves oval with smooth edges. white flowers. Grows in northern Europe, & about old houses, Acid juice. Ex press juice of leaves & upper portion of stems when about blooming. Compos. Ars. Bry. Bell. Con. Sil. Suesph.

Antidote Camphor

Clematis erecta (Continued)

In cachectic & Scrofulous constitutions. Swelling of glands. Rheumatism of joints after Gonorrhea. Ill treated Gonorrhea. Swelling & Induration of testicles especially the right one. Gonorrheal ophthalmia with Photophobia. Orchitis. — Indurated testicle requires Clem. r. or Rhod. Acen. Pul. Pha-ac Bry — lapitude after prostatic. Desire to be in the open air.

Cochineal

Use 1 pt of crushed live insect & macerate in 20 pts alcohol. Some use dried insect —

Allespaths use in Whooping cough with Salt of tartar, dose from 1 to 2 grs —

Hemoro — Whooping cough. No provings
Cocculus.

Cocculus Indicum. Is a climbing shrub.

Grows in East India. Powder the whole seed. Digest 1 pt (in a warm room) with 20 pts of alcohol, digest for 8 or 10 days —

Cocculus is used in the form of a paste, to
intoxicate & catch fishes —

Camph. Cham. Caff. Ign. N-Vom. Tart-em. Ars. Carb-reg.
Antidotes. Camph. Nux-Vom.

Symptoms. Fainting fits in hysteric females.

Arthritis, hot swellings with raging fever. Hot skin
& quick pulse. Articular rheumatism with fever.
Gastric symptoms in fever. Typhoid symptoms.

Nausea with faintness. Nerves weakens after acute
diseases. Abdominal typhoid fever. Spasmodic
& flatulent colic, retention of menses. Inter

Inguinal hernia with Nux-Vom. Hernia when
the dilation has occurred gradually & not suddenly.

Incarcerated hernia with chills. Great dislike
to cold or warm air.. drawing paralytic pains
Jerking in various parts of body, apparently in bones.
Numbness of hands & feet. Inability to stand. All
symptoms as by eating, drinking, & sleeping, & smoking
& coffee. Headache aggravated by exposure to
sun or air. Sick headache over

Coccus (Continued)

Sensation of hollowness or vacancy in the part affected. Head feels hollow.

Throbbing aching in fore head part & upper part of head. Gastric symptoms. Headache as by riding. Nausea produced by swinging.

Sea sickness also give Petrol. Sulph. - Iron & N-Vom. Abdominal affections of females. In colic of hysterical females. Morning sickness of Pregnant females —

Cochlearia amoracia

Horseradish. & prep juice or macerate in alcohol. Acute Gonorrhoea with greenish discharges. first stages —

Coffea Cruda

Mocha coffee. Arabia — All symptoms are in Inter-mittent fevers due 13 per diem. Spasmodic asthma. Nephritis. Croup.

Amoco, Pulverize raw & macerate with,

Coff-Bruda (continued)

Compare, Acon, Op, Cham, Ign, Bell, Canth &c &c

Antidotes Acon, Op, Cham, Ign.

Crying from an unknown cause in children
When they awake from sleep & jump or start forward.
puerperal fever. feverish excitement during
pregnancy. (X) Great restlessness. Pains during
labor. After pains. sleeplessness. Wide awake
suddenly. Headache with sensation of fullness.
loss of appetite. All the joints seem bruised,
especially early in morning. disappear after rising
and taking exercise. exalted mind. Convulsions.
Grating of the teeth in children, with coldness of limbs.
Tendency to affect the brain in children, some-
times to pain & cry out as if it were intolerable
cannot bear the least pain. Headache. Hemi-
crania. occipital headaches, affects the left side
of the head more than the right. Sick headache.
Pains are terrible, tearing & aching or burning

Coffea. cruda (Continued)

Headache - more in a warm room, & after a meal & ameliorated in the open air.

Numbness. Numbness after walking in the open air, especially of the legs. Nervous Toothache with tearing, drawing & insufferable pains

Coffea is a grand antidote to many remedies.
Indicated in fevers of dentition with excited sens-
orium, with eyes half closed & inability to sleep.

Colchicum

Meadow Saffron. Allopathic use. Gout & Rheuma-
tism. Tetanus from mechanical causes -

Chorea. Hypochondriasis. dose from 6 to 12 grs -
of powdered root - Given as a tinct or wine.

Purges from the fresh root.

Homoeopathic. Gather it in the spring.

Express juice & add equal parts of alcohol -
or macerate.

Compare with, Acon Coc Nux V. Op. Puls

Antidotes

do do do

Indicated in mercurial rheumatism. Swelling
 of smaller joints. Autumnal Dysenteries
Dysenteric diarrhea with yellowish, watery & ac-
mixed with floccula. Diseases of kidney &
 Bladder. Palpitation of heart after Rheumatism.
 Tropical affections. Urine dark colored.
 Colic in hysterical & hypochondriac persons.
 Tearing, jerking & lancinating pains worse at night.

Colocynthis

Bitter cucumber. A very old remedy —
 Allopath, drastic cathartic. used in habitual
 constipation. In persons predisposed to apoplexy.
 amenorrhoea. Leucorrhoea. dose from 2 to 10 grs —
Homoeopathic.

Compare with. Bell. Cham. Coff. Staph.

Antidotes do do do do

Promotes secretion of mucus. Indicated in
 dry, bilious, melancholic temperaments,
 Coleric temperaments. Sedentary females.

Colocynthis. (Continued)

Puerperal fever with full pulse. flatulent colic with no emission of wind. Colic arising from a moral cause or by cold.

Heaviness of legs & trembling especially right one. Affections of abdomen. typhlophagitic abdomen.

It relieves pain in dysenteries, seldom cures -

Incipient coxalgia. pain in knee at night.

Will produce abortion, in early stage of Pregnancy

Conium mac

Spotted hem lock. Found in N.S. It flowers in June & July. Narcotic odor. smells like cats or mice. Allopathic use. Old ulcers & in

scrofulous diseases. Arthro spinal diseases. Pertussis. Spasmodic Asthma. Uterine affections.

Dose of the extract from 2 to 3 grs.

Homoeopathic. Use whole flower & plant.

ex prep juice & add equal parts of Alcohol
Compare with, Bell. Coff. Lyc. Sulph &c -

Most suitable to females, Scrofulous constitutions
 Hypochondriac & Hysterical women. Affections
 of pregnancy. Paralysis. Senile diseases
Pains of long standing which are ~~worse~~^{arise} from mechan-
ical injury. Spasmodic diseases. Epilepsy
 Cataplexy. Herpetic eruptions with burning
 Congestion of brain. Vertigo. Scrofulous ophthalmia
 with Photophobia. Chronic diseases of liver
 with induration. pain after micturition.
Pains from urinary calculi, also Sarsaparilla
 Leucorrhoea. Cough. Moist cough with titillation
 at night. Asthma of old people. Phtisis pulmon-
 alis. Dropsical affections. Apoplexy. Pains
occur during rest, worse at night & when
aroused from sleep.

Convolvulus

Bind weed. Grows in Europe & N.S. Use whole
 plant. expul. juice. Edematous Swellings

Copaiva

Incise the stems of the tree & juice exudes -
 Grows in the East Indies & So America
 Allopathic use. Gonorrhea. Chronic affections
 of bladder. Leucorrhea. Chronic pulmonary
 catarrh. dose from 20 drops to a fluid ℥
Homoeo. Compare with. Cubeb. Merc & Ierebinth

Gastric affections. Poisoning from shell fish
 Hemorrhages. Urticaria, specific for.

Ill treated clap. Yellowish discharge from
Urethra. Gonorrhea of females or Leucorrhea
 when produced by gonorrhea.

When there is a diseased throat produced
 by large doses of Copaiva, Mezereum is an Antidote

Corallium rubrum

Red coral. deposit of insects

Fullness of vessels of brain. Ozena also Aurum

drowsine p. patient cannot sleep at night

Crocus Sativa

Native of Asia, grows in Europe & N. S.

Compare with *Bell. op. Plat.* Antidote *Bell & Op.*

Useful in many female diseases. Nervous affections
Uterus hysterica. Sensation of Ball in abdomen & throat.

Uterine hemorrhage. Blood dark & thick. Spasmodic
yawning. *Hemorrhage after abortion*. Sensation as if
something alive & moving in the abdomen.

Crotalus horridus

Poison of the black rattlesnake. Squeeze from the
fang & triturate in Sack Lac.

Compare with *Bell. canth.* Proved by Herising
who is the only prover in the world. There is none
to be had below the 6th.

Symptoms. *Phlegmania dolens*, the swelling of. Old
rheumatic affections. Paralysis. Symptoms occur
most upon right side. Syncope. Hemorrhages. Sensation
of a ball rolling in bladder. Headache. Heartburn.
Milk of the bitter mother will poison her
child.

Croton Tiglium

Croton oil. Obtained from the ochrab is a native of the East Indies. oil is expressed from seeds.

Sinct is made from one pt of the powdered seeds to twenty pts alcohol. Allopathic Drastic cathartic. Counter irritant.

Hemorrhoids. In affections of the throat of singers thickness of the voice hanging down of the palatine arch imparts a peculiar tone to the voice. Burning & dryness of the throat with accumulation of mucus while singing. Colic with griping & turning. Dysentery Diarrhea. Cholera Infantum, the stool goes suddenly from the child. Tearing & drawing pains. Pains generally occur in left side, Am. By sleep — Lack worse after sleep.

Cubeba

Berry of a species of pepper tree. Grows wild in the East Indies. Allopathic use. Gonorrhea, Leucorrhea. Abscess of the prostate gland.

Dose from 1 to 3 ℥

Amoro: Tinct R fern. 1 part pulv seeds & 20 p^{ts} alcohol
 Gastric affections. Nausea sloathing of food
 thirst. heat of fauces & mouth. Pyrosis. Inflammation
 of penis & urethra. Itching & burning in the foea
navicularis. Hemorrhoea with yellowish gleet.

Cuprum met

Copper first found in Cyprus. Has a nauseous styptic taste.
 Prepar first & attor by trit. Suitable to relaxed
 weakened individuals. Inclination to spasmodic
 aff. Rheumatism with pains in limbs. Chronic & acute.
Epileptic fits which occur at night. Chelliness
with headache. Old ulcers. Acute cholera. Asthma
of children especially after a cold. Painful jerking
 in different parts of the body. Convulsions with dis-
tortions & froth at the mouth. Rigid limbs & stiff trunk.
 Paralysis. Spasmodic colic, with cutting in bowels.
Diarrhoea with horrid pains in epigastrium. Exhausting
 pains. intense suffering. Vomiting with cramps & nau-
sea. Patient cries out loudly. Cramps of lower extremities
Vomiting with cramps in calves

Cuprum Aceticum

Verdigris. Made principally in France.

Allopathy. In Syphilis when Mercurials fail.

An Escharotic. Applied to old ulcers.

This is the article in common use under the name of Cuprum.

A first dilution with distilled water or

A first & after bytrit & then raise with alcohol.

Symptoms. Rheumatic pains. Bruised & lame feeling in lower limbs. Spasmodic diseases. Convulsions of children. rigidity of limbs. Convulsions which usher in cerebral affections, with great irritability. It promotes the secretion of bile. Jaundice. Incipient Phthisis

Cerebral aff. of childhood. Exanthematous diseases when the eruption is changed to brain. Pulse small, quick & irregular.

Distortion of the eyes. difficult dentition of children. Typhoid diseases. Inflammation of brain. Asiatic Cholera. faintings nausea & purging with horridly distressing pains.

Threatened Hydrocephalus

Cyclamen europaeum —

Low bread. grows in middle Europe. Root is used
Drastic purge. produces abortion.

Not used in the old school. Prespar sometimes
the whole plant.

General weakness — especially of knees, limbs
feel heavy. Dread of motion, relaxation of the
whole body. Weariness in evening. Limbs feel bruised
& stiff upon rising. Discomfort of the head & scalp.
Gastric aff with perversion of taste & appetite.

Daphne Indica

Sweet scented purging laurel. Bay tree. Native of
China. Tinct R. from leaves.

Rheumatic pains. aff left side, more at night.

Daphne Mezereum —

Common name *Mezereum*, Shrub, grows 3
or 4 ft high. Bark easily separated from the wood.

Distinguished by flowers being more conspicuous
than the leaves — grows in Europe. Flowers
in Feb. March & April according to latitude.

Daphne Mezereum (Continued)

Use the bark, epidermis dark brown & inside white. Allispathic. Bark produces vesication counter-irritant. Secondary Syphilis, Scrofulous aff. Dose pulv cort 10grs. Generally given in decoction. It is an antidote to Merd.

Symptoms, Scrofulous & glandular diseases. Mercurial rheumatism with nocturnal pains. Pains in the bones at night, Syphilitic rheumatism. Acts upon the periosteum & bone. Idiopathic diseases of bones, Scurvy & Skin diseases. Crany scurf, tinea capitis, Odontalgia worse at night, soreness upon motion, Sore throat, aching pains when the throat is not in motion, dryness & heat in throat, similar to Syphilitic sore throat, Diseases of the urinary & genital organs. Abdominal diseases.

Diadema Aranea

Papal cross spider. It has an ovoid large body with a longitudinal yellow & white line upon its back, which is crossed by three transverse lines. Puncture its belly & obtain one drop of the serous exudation & treat with Sacch Lac, or ~~run~~ run up with alcohol.

The web as a local application in hemorrhages is said to be good in Epistaxis. Minor wounds &c. Intermittent fever with predominate coldness.

Dictamnus albus.

Bastard dittany. Perennial plant. grows in mountainous, barren, stony regions. Alleopathic. Anthelmintic. Emmenagogue. Has a pungent aromatic taste.

Dyscrptoms. Leucorrhoea. Uterine hemorrhage. Increased secretion of urine.

Recommended as a local app in case of poisoning from Rhu R.

Digitalis purpurea

Purple fox glove, grows 4 feet high. grows wild in Europe, & in gardens of N.S. Flowers in Aug & Sept
Root Biennial sometimes perennial.

Use leaves generally & sometimes flowers.

Allopathic. Great acceleration of pulse. It will reduce the pulse. Phthisis, Epilepsy, Insanity Diseases of the heart. Usual dose 1 to 1 1/2 grs of leaf Tinct & infusion most commonly used.

Wild Plants Best. Gather in flower. Express juice of leaves & make attenuations.

Sometimes macerate in Alcohol.

Compare with, Ars. Bell, Cin. Mxv. Op. Puls. Spig. Sulph.

Antidotes, Bell. Op. Spig.

Contraindicated to persons of a lax fibre. Scrofulous diseases, Dark brown urine, white stools full slow pulse. Jaundice with nausea & want of appetite. Bitter taste in mouth & clean tongue Sensitiveness of hypochondrium.

Cyanosis - When the foramen ovale is not closed, in infants, with increased & irregular action of the heart, Blue color of lips, skin, toes & fingers, (denoting impure circulation) & prominence of the eyes.

Digitalis & Lachesis good remedies in Cyanosis. Dropsy with slow pulse, especially when there is disease of the heart. Hydrocephalus. Hydrothorax. Ophthalmia. Ear ache. Chronic aff of liver. Copious emission of dark brown urine. Dyspnea.

Drosera.

San Den. Acid properties, corrodes the skin.

Sometimes used to remove warts. Asthmatic cough, grows in June to June 2 to 8 inches high, & in clusters. flower in July & Aug. Inoculate or express juice from the whole plant. Compare with, Acid, allium Purg. Puls. Verat. Antidote Campb. - Used in Whooping cough. Convulsion, hard paroxysms, Bleeding from nose & mouth with hoarseness, 30th upwards will. has had no success with lower. Hoarse cough which precedes measles, Headache with dimness of eyes.

Dulcamara. Bitter Sweet.

Grows in U.S. Blooms from June to Aug. is a climbing shrub, grows to height of 10 or 15 feet. Taste at first bitter then sweet, has been used in old school in Pulmonary & Chronic Catarrh. It will produce complete impotence for some weeks —

Use. Gather green stems & use. The plant has red berries which remain on all winter. Compare with Acon. Bell. Nur. D. 6

Antidotes. ~~Ant~~ Spec. Camph & More.
 Sensitive irritable disposition. liability to take cold. Pain of Typhoid. Acute & Chronic catarrhal diseases. Skin diseases. Urticaria. Gustae lacta, with humid surface. Headache after taking cold.
Diarrhea with copious discharge. Sanguineous discharge with mucus. Cholera Infantum. Autumnal Dysentery.
Pain after evac of urine. Hemorrhoea —
Rheumatism. —

Claterrum

Squirting cucumber. has a sharp taste. Root perrenial, large & fleshy. leaves large & heart shaped. Flowers of a yellowish white. Fruit cucumber shape & covered with stiff hairs. Native of Europe.

Kept in shops in form of an extract or impipated juice
 Allspice. Hydragogue. Drastic cathartic. Dose of
 Dose of extract from $\frac{1}{4}$ to 2 grs.

Hemorrh... run up with proof spirits or trit with S.S.

Symptoms. Flatulent colic. Watery diarrhoea, with
cutting pains, attended by heat. Dysentery with
greenish discharge ^{at} ~~from~~ commencement, Billious
 dysentery. Billious fevers. Cholera Morbus, with
cutting pains, fluid stools, Dyspnea + sensation of
constriction + oppression at stomach. Neuralgia
 particularly of left side. Urticaria. Obstinate
 intermittent fever. Quotidian & Tertian after abuse of
 Chino & Quinine. Chills with gapping. Pain in
 head. shoulders. back & calves.

Fever ends in a copious sweat.

Eugenia jambos

Malabar plum tree. Fruit smells like roses. Native of tropical climes. Active principle is in the seeds. Compare with Op. Antidote is Coffee.

Symptoms. Coryza. Cough. Ophthalmia. Pains in the ears. Headache with burning in the eyes.

Copious emission of urine at night.

Eupatorium perfoliatum

Boneset. Perennial plant. Use upper part when in flower. Also part. is a Diaphoretic in inflammatory fevers, & remittent fevers. Given in infusion. dose from 20 to 30 grs of powdered leaves seeds.

Headache from gastric & miasmatic origin with nausea.

Miasmatic diseases. Double tertian intermittent

Irregular Quotidian with chill one day & heat the other.

In mal-treated intermittents by bark & quinine

In amalgamated forms - all with Nux Vom.

In tertian fevers. patient is thirsty at night before the chill
In quotidian fevers patient thirsty before chill, which continues through chill & heat. not so great during the heat

Shivering. Nausea with pain in Epigastric region, which begins during chills & increases till Apyrexia & then the patient vomits. The fever frequently ending in sleep. Paroxysms end in but little perspiration. Compare with. Arn. Cham. Chir. N-torn. Tort-em —

Euphorbium officinarum

Sperge. Is a gum resin & exudes from incisions made in a tree which grows in Africa. But little odor. When greenish & pulocrize. Bandage the eyes, as it will irritate. Allespath. Err hore. Amaurasis.

R with alcohol. Homoco use. Cutaneous affections. Odontalgia, Pyrosis. Headache, Bronchial affections.

Euphrasia officinalis

Eye Bright. Grows in meadows & borders of forests.

Use the entire plant & R Tinct.

Compare with Arn Puls & Spiz. Same antidotes

Used in Scrofula. Rheumatism of Thalmic & ites

by cold. Inflammation of lids with pain, itching & burning
Photophobia. Influenza Cramps. Cough —

Evonymus europaeus

Spindle tree. Pain eyes, stomach, chest & head

Pains aggravated in afternoon & after dinner

But limited proings —

Ferrum metal

Pulv or precipitate for Homoeopathic use,
& trit with S L. Sometimes use iron filings —

Make first three attenuations by trit.

Putrid eructations in gastric affections. Taste as of
bad eggs. Oppression of stomach with distention
of abdomen. Phthisis. Dropsical swellings.

Arthritis. Scurfule. Use high dilutions in Ascarides

Intermittents after Quinine, Prolapsus ani —

Palpitation of the heart. Prolapsus uteri.

Ferrum aceticum.

Fullness of head with throbbing ache. Stultulant
colic. Itching & biting in Anus. Ascarides.

Nocturnal sweats in Cachectic persons. Symptom
after intermittents

Ag by sitting & Am by slight motion.

Ferrum Carb

Vomiting of pregnant, Diarrhea —

Nocturnal Asthma, few provings —

Ferrum Iod —

Disorders of females — few provings —

Ferrum Sulph —

Vomiting & diarrhea —

Felix Max —

Male form, Used in tinea & miasm fever, Sterility

See Hornoc. from 3 to 15 drops of Tinct in Tinea,

give it twice per diem, portions will be expelled

Repeat & whole will be expelled, Alternate

with Granatum in tinea,

Fluoric-acid

Proved By Drs Hering & Williamson, Acts upon Blom

Spar with tria its weight of Sulph-ac.

Cannot be kept in glass under the 6th attenuation,

Keep ^{it} them in gutta serena bottles or bottles of Blom spar.

Pains, short, jerking & shooting, predominate in left side,

Causes small aneurisms, Premature Baldness —

Fragaria vesca

Common Strawberry. No provings

Has been used empirically in nettle rash.

Gentiana Lutea

Root from 3 to 11 lines long. Muscous odor.

Has a penetrating bitter taste. R. tinct from root.
accelerated pulse. few provings —

Ginseng

R. tinct from root.

Acts upon lower portion of spinal marrow.

Produces a bruised feeling in lumbar region,
with great languor. Arthritic affections.

Debile diuresis. Paralytic weakness of parts below
lumbar region. Neuralgia.

Granatum

Pomegranate. Native of Southern Asia & Africa.

Bark med. Bark of root only, should be used & is of
a brownish yellow color. Bitter. has astringent properties.
Gravidia Constipation 2 or 3 after. Gastric aff. Erysipelas,
Chillblains. & Inflammations.

Graphites.

Plumbago. found in U.S. Penna. It continues in action for a long time. Been used in (Symptoms) Repelled eruptions. Chronic & Hereditary affection of skin. Diseases of the female Sexual organs. Allopathic dose 5 to 15 grs — Used as an ointment. Trit with Lard + use in eruptive diseases by Doct. Seane of Philad^a In Scrofulous persons. Chronic eruptions. Warts & Tetters. Skin cracks. scaly & watery fluid escapes. Salt Rheum. Menstrual difficulties. Headaches from Bore origin. Hereditary headaches. Erysipelas of the face. In eruptive diseases use 30th atten — Tinea capitis Herpetic eruptions appear upon joints or face arm. Sore nipples with burning upon application of child. Palpitation of heart. Ophthalmia. Scrofulous aff of lids. Gastric aff with side headache. Hemorrhoids. Pain in region of uterus. Irregular & scanty menses. Liability to take cold dread of open air. Pulsation of whole body. Twitching of the limbs —

Gratiola

Hedge hyssop. Annual plant. Native U.S. & Europe.
 Allopathic. Scurdica. Dropsy. Dose fresh herb 15 to 20 grs -
 Hemorrh. Gather plant in May & R. tinct.

Used in diseases of the mucous membranes,
 It is tuta lachrymalis & in Ano. Affections of head
 with sensation of fullness. Pains as at night, & when
 sitting. Am by contact.

Guaiacum

Gum resin, obtained from a tree in So America.
 It is a spontaneous exudation.

Allopathic. Sub acute Rheumatism. Gouty affections
 Amenorrhoea. Dysmenorrhoea.

The tinct is quite volatile. Dose from 10 to 30 grs
 Used Homoeopathically in Headache. Swelling of eye -
Repugnance to milk, lancinating pains which
 are ag by motion.

Rheumatism.

Haematoxylinum

Campeachy logwood. Chips of wood used.
 Allopathic astringent. Used in Diarrhea, Cholera
 Infantum. Few provings. Homoeopathic use
 in affections of head stomach & abdomen.

Bamboge.

Concrete juice of tree is of a greenish yellow color &
 is sometimes used as a paint. Allopathic use
 To expell tinea. —

Constipation. Painful dysentery with tenesmus,
 & pain in Sacrum. Watery diarrhoea.

Symptoms are Dysmotion & open air.

Helleborus niger

Black Hellebore. Christmas rose. Narcotic plant.
 Blooms in mid winter. Native of South Europe
 & United States. Fibres of roots used. Bitter taste.
 Whole plant medicinal. Allee-mania. Dropsy. Melancholy
 Epilepsy. Amenorrhoea.

Hemorr. R. tinct immediately after flowering

Helleborus niger (continued)

Dropsy of the brain. Acute Hydrocephalus.
do after scarlet fever. Paralytic affections
 after a debauch. Inflammation of the brain
with dilatation of the pupils. Convulsive diseases —

Hepar, sulph, calc

Liver of Sulphur. Sulphuret of lime.
 Brownish color. when moistened has a smell
 of Sulphuretted Hydrogen.

Alles. Arthritis. Rheumatism + diseases of the skin —
 R for Hemorrhoids. Beat the internal parts
 of oyster shells (puels) with equal parts of flowers of
 Sulphur. raise to a white heat — keep it in tight
 bottles & excluded from light. Cutaneous diseases with
disposition to form scabs. which are brittle. pass under scabs —
Sinea capitis. Glandular diseases. White swellings with
pains at night. Nocturnal pains in damp weather after abate of more
Pectoral diseases. Rheumatism. Hoarseness
after croup. — Not a reliable remedy in
 croup.

Hydrocyanic acid

Prussic acid. Allopathic. Pulmonary inflammation
Arthritis. Whooping cough. Chronic catarrh.

Homoeo. Pulmonary affections. Catarrhal affections
of old people. Cholera. &c

Hyoscyamus. niger

Herbace. Grows in Germany & N.S. — acid taste.
Allopath. Rheumatism. Hysteria. Catarrh & Pertussis.
dose fresh leaves from 5 to 10 grs. dose extract 4r to 3 grs —

Homoeo. Gather during period of flowering & use
upper part of stems, leaves & flowers. & prep juice &c.

Inflammation of brain. Pupil at first contracted
then dilated especially in children. The attack
comes on gradually. pulse not quick.

Compare with Bell & Stram also Bell. Such's merid.
Epilepsy. Spasmodic aff of children, where there is
great distortion of face.

Ign. if it occurs during teething, with convulsions of lower & the
Stram. Redness of skin, with motion of fingers —

Bell. flushed face. hot skin &c

Hyoscyamus (continued)

Sparmodic cough aggravated after midnight or
at between 2 & 4 o'clock A.M. Cough frequent
 & worse from lying down. Whooping cough.

Puerperal fever. Diarrhea of lying in women.
Peritonitis. Hematemesis. Cramping in epigastrium
Epilepsy. Hysterical affections. St Vitus dance.
Febriile symptoms as in evening

Hypericum

St John's wort. Gather whole plant while
 flowering & express juice from tops, leaves & flowers.

Local application in Bruise of muscular
parts. Typhoid fever. Itching with scabby
eruptions. Crusta lactea, scabs about mouth in children.

Ignatia

St Ignatius Beans.

Sparmodic affections in children, with jerking
in the extremities. Affections during dentition.
Prolapsus ani with Podophyllum.
Hysterical affections. Affections of females.

Ignatia amara (Continued)

Diseases arising from emotions of the mind

Disappointment in business. Headache

Neuralgia. Affections of spinal marrow.

Heart Burn. Dysmenorrhoea. Aphonia

Catarrhal affections. Cough from tickling in the throat. Whooping cough.

Indigo

Obtained from a Bush growing in the East Indies.

Used in Domestic practice for croup.

Hemorrh. Dropsy. Epilepsy —

Iodine

Iodine. It is of a brown color. Allopathic — glandular enlargements. Gonorrhoea. Leucorrhoea.

Dose of Tinct from $\frac{1}{2}$ to 3 grs —

Hemorrh. Keep it in tight vials & excluded from air.

Used in Scrophula. Glandular swellings, Syphilis which arises from abuse of mercury. Croup. Incipient Phtisis. Induration of liver.

Specacuanha cephaëlis

Plant small & shrubby. Root fleshy & is part used.
Native of Brazil. Grows in thick shady woodland.
Flowers early in Feb. Fruit mature in May.

Gather root during period of flowering. Bitter taste
nauseous odor & taste. R. Tinct by maceration or Trit.

Gastric diseases with nausea. Cholera morbus.

After symptoms in Asiatic Cholera. Vomiting after
eating rich food. Eructations tasting of ingesta.

Spasmodic diseases of children caused by error in diet
Gastric & Bowel affections of children.

Thirst during & immediately after vomiting, in Cholera
morbus & in intermittent fever.

Loberia. Hunger immediately after vomiting.

Hæmatemesis. Cholera Infantum. Diarrhoea. Uterine
hemorrhage. Alt China & Spec in Uterine hemorrhage.

Tallappa Salap

Root fleshy. Tinct brown. Allopathic cathartic. Extract of root
Remov. Colic. Affections of bowels with pain.
Diarrhoea with cutting.

Patropha

Purging nut. Infernal fig.

Used in Asiatic Cholera, Diseases of Stomach & Bowels,
with cutting pains, & vomiting. Worm diseases. —

Kali Bi Chromate

Bichromate of Potash. Is of a reddish brownish color.

Used in Croup, affections of larynx & trachea.

Mucous Phthisis. Ulceration of larynx. Dyspepsia.

Affections of the liver. Grand in Croup.

Kali Bromatum

Crystals semi transparent cubes. Make an aqueous
solution & run up with alcohol.

Warmth in abdomen. Pain in region of kidney

Kali Carbonicum

R 1st attenuation with water & run up with alcohol.

Diurnal headaches. (see headachs) Menstrual diff —

Bronchitis. Incipient Phthisis. Hemoptysis.

Kali Chloratum

Used in Rheumatic aff — Prostr. halsie.

Kali hydriodicum

Hydriodate of Potassa. Disians of chest. Glandular aff.
 Syphilitic rheumatism from abuse of Mercury.
 White swelling of knee joint.

Kali Nitricum

Salt Peter. allopathic febrifuge. dose 10 to 15 grs —
 Disians of throat. Pneumonia. Felicid disians —

Kalmia Latifolium —

Broad leaved laurel. Calico bark Evergreen.
 R_x truct from leaves. Brings down pulse to 40.
 Typhoid fever. Remittent fevers —

Kreosote

Kreosote is found in tar, acetic acid. it is found
 abundantly in beach tree. It has an oily feel.
 Caustic, burning taste & disagreeable odor.
 It gives the peculiar smell to smoke. Allopathic
 antiseptic, escharotic, & styptic. Used in Diabetes
 Hysteria, Epilepsy & Neuralgia. Homoeo Neuralgia of head
 & face, gr 2 or 3rd trt. In hollow decayed teeth, pain after cold
 Asthma, Catarrhal aff. Diarrhea, Spitzex. Scrobutic aff of gums

Tracheitis

Poison of the Lance headed viper. Inhabits So America
The poison resembles Saliva in appearance.
Acts upon head & throat. & organs of chest.
Secondary Syphilis in scrofulous individuals &
in almost incurable cases. Apoplexy. Paralysis
of long standing. Compare with Merc. V & Bell,
Symptoms, worse at night or towards morn
do worse after sleeping. worse in damp
weather. Sore throat similar to Syphilis, ~~not~~
salivation. Syphoid fever, dry brown tongue.
muttering delirium. great heat. difficult deg-
lutition from lameness of muscles of throat
The lowest attenuation in existence is 7th or 8th
30th commonly used. Much spurious Lach
in use. Prescribed by Doct Herring
Tramium album
Dead nettle. Gather plant during period of
flowering & Rx trinct. No prescrip
Recommends proving—

Lactuca virosa

Strong scented lettuce, poison lettuce, leaves and
Is a perennial plant. Stem is of a light brown color.
Grows in South Europe in waste places, height 3 or 4 ft.
Stalk hollow when dry. Squeeze milky juice from
cut stem. Allopathic. Narcotic with also a
laxative property, also a Diuretic. Med. ex-
tract, given in pills.

Homeo. Teets pain during sleep. Gather during
flowering period & R. tinct from leaves

Acts upon the sensorium & upon Respiratory organs,
Cough Dyspnea.

Aurocerasus

Cherry Laurel, contains Prussic acid Grows in Asia
Minor, & Europe. It is an evergreen, leaves taste like
bitter almonds. Gather leaves in summer & R. Tinct.

Homeo. Headache, Cough, Pneumonia

Cyanosis, Croup after inflammatory stage. Copious secretion
of mucus after the more inflammatory symptoms of Pneumonia
have been subdued. Asthma.

Isedum palustre

Wild Rosemary. Grows in North Europe & America
Is an evergreen. Bark of stems is ash colored
Alliopath - cutaneous aff. Scabies. Leprosy.
Whooping cough. Dysentery. Ex application -
Hemorrh. Gather leaves during period of flowering.
Rx tinct by maceration.

Rheumatic aff of large joints. aff of ligaments
do do lower limbs. Rheumatic gout.

In Rheumatic gout alt with Rhododendron
Liobelia inflata

Indian Tobacco. Biennial plant, N. S.
Flowers last July & has successive crop until Oct.
Irritating odor. Burning acrid taste when chewed.
Followed by profuse salivation. Specific in
some forms of asthma. Catarrhal aff. Croup
Cough. Allopath dose 5 to 20 grs or a tea spoonful
in a cup of warm water usual dose. Mustard & water
assists emesis. Gather top plant & Rx tinct.
Asthma. Gastric aff & aff of Respiratory organs.

Trupulus (Humulus)

Hops. Symptoms. Vertigo. Stupefaction, heat of head with
dizziness. slow pulse, drawing & twitching of muscles

Lycopodium

Club Moss. Grows in North Europe in stony, hilly places, creeping vine
Allopath no use. Homeos. Macerate & R. tinct. Chronic
diseases. In persons of a mild disposition & lymphatic temperament.
Disease of mucus membranes, with copious secretions, leucorrhoea,
deficiency of animal heat in old people. Symptoms ag in the
afternoon. ^{am} & by open air. Acts upon Stomach, bowels, skin, nervous
system, Genito-urinary organs & lungs. Gastric aff. Cutaneous aff
Linna. capiti. Hesper. humid tinea capiti. swelling of cervical
glands. Tropical aff. which depend upon organic diseases.
Affections of the heart. Scrofulous. Glandular & cutaneous affections.
Secondary Syphilis. Nocturnal pains. Hepatic aff. Chlorosis
with leucorrhoea Humors are yellowish. Chronic headache,
ever at after midnight. Constipation, when there is no other
prominent symptom. Obstinate Gonorrhoea. Disease of lying in
women. Low cracked nipples Phlegmasia dolens.
Incipient mucus Phthisis in Scrofulous Persons —

Magnesia Carbonica

Allopathic. Cathartic & Antacid. R_x by trit. Symptoms
Green discharges. Diseases of female & children. Uterine aff^s

Magnesia Sulphurica

Allopathic Cathartic. Cholera infantum. Discharge
mixed with lumps of mucus.

Manganum

Oxide of Manganium. found in Europe & England.

Allopathic. Syphilis, Chlorosis, Scurvy. Scabies —

Hemoro. R_x first & trit R_x Used in diseases of bowels —

Mercurianthes trifoliata

Buck Bean. Native of Europe & America

Gather in Autumn & R_x trit by maceration.

Merc. sol. Hahnemannii

Black oxide of Mercury. Allopathic use. Alteration

Silagogue. Purgative. Syphilis. Catarrhal aff^s — Abuse of
Chin. Lead & Sulph^r in Hemoropathia Practica

Symptoms. Acute Rheumatism with nocturnal
pains & perspiration which produces no relief. Asthma
No Aggravation intense aching —

Mercurius Solubilis (Continued)

Acts principally upon bones & lymphatic glands —
 Action continues for a long time, Salivation. When you
 find more symptoms see that the patient has not been
 poisoned with mercury. Primary syphilis, Chancre
Bubor, Syphilitic rheumatism, Ulceration of mouth
& throat, Caries of bones.

Dr Thos Harris Surgeon U S Navy at Washington says
"Disease of the bones in Syphilis is never found without the
patient has been treated with mercury."

Syphilitic blotches with burning & itching, copper colored
 blotche, Inflammation of Parotids & tonsils, cervical &
 inguinal glands, Ulcerations of bones from abuse of
Mercury acquires Nitr-ac, Disease of Liver & Spleen,
 Paralysis of lower extremities, trembling of limbs, Scarla-
tina anginosa, Quincy with induration of tonsils,
 superficial ulcer upon tonsil, Erysipelas of face
with Graph. Rhust. Bell & Zinc, Varicella & varioloid
Bleeding Herpes with burning & itching, as at night &
when lying upon a feather bed.

Jaundice, Fevers, Billious, Typhus & Abdominal
typhus, Nocturnal sweats producing no relief.

Affection of nasal & palate bones, Rheumatic & Arthritic
headaches, Tinea capitis, Ophthalmia, inflamed
lids, Teething pains in bones of the face & teeth with
Oxyalism, aggravated at night, Spongy swelling

& livid colored gums, Ulcers of buccal cavity
Rancela, Putrid taste & coppery taste, Constipation
feces in small balls, ineffectual urging, Diarrhea
gripping pains in bowels, green stools, Dysentery
Green stools in children, affection of kidney &
bladder, dark turbid urine, Orchitis,
Uterine hemorrhages, Leucorrhoea &c &c.

Mercurius corrosivus

Corrosive sublimate, Dysentery, intense bearing
down pains, cutting pains, Bloody Stool, burning
Autumnal dysenteries, Ulcerations of Uterus

There is a great similarity in the action of all the
Mercurial preparations

Muriatis acidum

Hydro-chloric acid. Allopathic, Fevers, Scarlatina-
anginosa. Hemorrh. & just atten with diet aqua,
use 6th or 12th. Chronic diseases. Fevers, intermittent
remittent or typhoid with rapid sinking. Diarrhea
acts upon larynx. Variola in its suppurative stage,
Dysentery, discharge of bright red blood with intense straining
Watery diarrhea, hemorrhoid, with burning, Prolapsus
ani with suppuration of urine, Scorbutic affs swelling
of gums, purple color & ulcerated, deafness, Pimples
upon the face of young people, freckles, In Secondary
Syphilis alternate with Nitr &c. for abuse of Merc
in allopathic doses.

Natrium carbonicum

Re-crystallize & trit. Goaty & Rheumatic affs, diff menstruation.

Natrium muriaticum

Common Salt. Allopathic use. Hemoptysis. During
Headache. Hemorrh. Re-crystallize & trit
Intermittent fevers, dryness of tongue with great thirst,
In cases that have been abused with Quinine alternate

with Cuphatonium - Protracted chlorosis, Urticaria,
Vertigo, Headache with nausea, verminous affections,
Throbbing pain in hollow teeth, Ring worm appearance
upon the tongue in scrofulous children, Ulcers of lips & mouth,
Nausea & vomiting of pregnant females, Dysentery,
Cholera with stiff dry tongue, early stages, irregular pulse,
Leucorrhoea, Amenorrhoea, Hemoptysis, Dysentery
are aggravated by lying down & less by sitting up.

Nitri acidum

R^e first 6 atten with aqua, Used in Rheumatic Arthritic
affections, Abuse of Mercury & Sulph, Deep seated
muscular pains, Caries, necrosis, Rickets,
Arterial hemorrhage, Epilepsy, Itching eruptions with
burning, Scarlatina anginosa, Mercurial ulcers
upon lips & throat, Bubo, chancres & syphilis,
Syphilitic fever, hemorrhage from bowels, Diarrhoea,
Acute fever terminating by sweat after midnight,
Syphilitic ophthalmia, Spot upon cornea, Incipient Amaurosis,
Colic, Pyrexia, Ulceration of tongue, Hepatic disease, Chronic disease,
schinus mamma
with diarrhea, Nausea & vomiting with constipation, Scanty menses

Nux moschata

Nutmeg. R. trict from nutmeg. Hysterical affections.
Nervous affections of females. Neuralgia. Wandering aching pains
Neuralgia of head. Disians arising from winter cold, sometimes
of nervous system.

Nux Vomica

Dog button, allopathic use. Dyspepsia. Gastrodinia.
Hypochondriasis, Hydrophobia, Tetanus. &c
Hemors, Periodical pains. Neuralgia, great sensitiveness
to cool air, Rheumatic disians with sensation of numbness &
weakness. Catarrhale affs - Disians of Drunkards & persons
accustomed to stimulants. Coffee headache. Spasmodic affections.
Apoplexy, Epilepsy. Paralysis, Chilblains. Arthritic affs -
Vomiting with gastric symptoms, Intermittent fevers, Melancholy,
Hypochondriasis, Vertigo, fall, to the left side, Headache after a
night debauch, Congestion headache with nausea, Toothache with
gastric symptoms, Painful dentition with diarrhoea, Disians of stomach
Incarcerated hernia, Constipation, Autumnal dysentery, Irritable urinary
organs after Gonorrhoea, Cramps during pregnancy, Symptoms begin
morning, stimulants, chill from motion, liability to take cold
inclination to remain quiet, In quite impassable persons

Oleum jecoris morrhuae

Cod liver Oil. Allopathy in Chronic Gout & Rheumatism.
Scrofula. Phthisis. Hemoco pathogenic symptoms, "inimicate"
Acts but as an article of nutrition.

Opium

Is the inspissate juice of the capsule of large white poppy.
Symptoms, opposite. Stupor & wakefulness. low atten?
good for primary symptoms & "vice versa" ailments from
fright or fear. Apoplexy. Soporose condition. Neuralgia
with excited state of the system. Paralysis. Convulsive
diseases. Puerperal fever. "Mania potius". Illness—
disordered menses, abstain from fright. Whooping
cough from with constipation. diseases of the heart

Oxalic acid

Allopath. Inflammation of mucous membranes.
Hemorrh. Headaches. Laryngitis. diseases of heart & chest.

Petroleum

Rock oil. Sick headache with flickering of light
Urticaria. Herpes. Waterbrash. Sea Sickness. Pyrosis
Cholera Infantum. Gonorrhoea. Leucorrhoea

Petroselinum

Common Parsley Root. Gonorrhoea & diseases of urinary organs.

Phosphorus

With alcohol forms Sulph. Ether. Allopathic use. Impotence
 Dropsy &c. Hemorrh. Pneumonia with white expect. Pleurisy
 Laryngitis. Bronchitis. All diseases of respiratory organs. Typhus fever.
Abdominal typhus. parvula ulceration. Sharp pains in dysentery.
 Scarlatina. Rough & hoarse cough in Measles. Hemoptysis. Rheumatism.
 Chills. Jaundice. Hematodes. Chlorosis. Diseases of lymphatic system.
Suppuration of mamma. Sick headache. Swelling of right eye
with lachrymation upon motion. Nightly headache. Ophthalmia
 Nebula. Incipient Amaurosis. Cataract. Polypus nasi. Stomach
upon application of water. Hysteria. Angina. Dyspepsia pain in
 Epigastrium. Palp of heart. Gastric aff. Sympathetic derangement
 of heart. Derangement of spine opposite stomach in dyspepsia -
gnawing pain in the stomach can be rating. Gastrodynia. Neuralgia
 Flatulent colic. Watery diarrhea. Stool not much discolored
 Hemorrhoids. Amenorrhoea. Night cough. Pneumonia
 Whooping cough. Burning in palms of hands & soles of feet
 Rectic fever.

Phosphoric acid

R 1st 3 trit with water. Used in diseases with debility from loss of fluids. Diarrhea, Dyspepsia. Sour taste after eating. Not emipious. Hemorrhoids. Diabetes. Excessive urination of infants which is limpid & milky. Menorrhagia. if there ~~are~~ is nocturnal urination give Silicia

Phytolacca. Poke weed root

Neuralgia. Cutaneous diseases. Headache. Syphilis. Cancerous affs. Symptoms appear upon right side —

Platina

Platinum metal. Diseases of female, from vascular & nervous excitement. Hysterical affs. Uterine & ovarian disease. Suppression of menses in Emigrants. disposition to abort. Nymphomania. Puerperal fever. Symptoms appear in a warm room & are in the open air.

Plumbum

Metallic Lead. Colic with drawing in of abdominal muscles. Diarrhea Dysentery. Constipation with colic. Uterine hemorrhage. Paralysis —

Pulsatilla

Wind flower. Homoeo. Gather plant in flower & R. truct by macerating.
 Blooms in April. Symptoms ag in afternoon & evening
untill midnight & am in morning. Right side most affected.
Symptoms am by motion, pressure, application of external warmth &
open air. Sometimes ag every other day. Nocturnal pains in the
 side, often am by turning over, & am by pressure. Irritated feeling, weariness
 Dislikes of females. Amiable & gentle dispositions, inclination to weep -
disposition to be melancholy, pale face, desires from abuse of wine,
rich food or pastry. taste of ingesta also Corro. req-
 Dislikes of the mucous membranes. Pains shift about
or chetis, after mumps, in females mammary glands affected
 Rheumatism. joints affected. red & swollen. with chills -
 Critical stage of life. delayed menses, with flushes of heat &
chills. pulsations in Epigastrium. desires of heart. Measles -
 Cough, red eyes. This is also a good remedy in Measles. Menstrual
 derangements. Period postponed in young females. Fullness
of the head. Sensation of weight in lower part of abdomen
 Swelling of eye lids & swelling of lower extremities. Chlorosis
Ophthalmia. inflar lids caused by dyspepsia

Running from the ears, also Dig & Cham. especially right ear
Stomach after Scar latens or measles. Deafness with secre-
tion of dry wax. forming a ball & obstructing hearing -
Acute or Chronic Rheumatism. Inflammation of
external ear. Gouty pain with red sediment in urine
Repelled measles. Varicose veins. Chillblains with
thirst, swelling, heat. Burning & throbbing. Intermittent
fever. Cough with expectoration easy of thick yellow mucus
Nocturnal sweats. Mental derangement in late
stage of pregnancy. fear of death. Vertigo. Hemicrania
Periodical headache with nausea. Sensation as if brain
would fall out. Gonorrheal ophthalmia. Anomocoria.
Ephorax. Loss of smell. Facial neuralgia. Toothache of
Pregnancy. Gastric derangement. Hiccoughs. Vomiting
of pregnancy. Hepatitis. Hematemesis. Affs of Urinary
organs. Burning tenesmus. Hematuria. Mucous diarrhea.
Enlarged prostate. Late stage of Gonorrhea. Acrid
& yellowish or greenish leucorrhoea. Irregular & too
frequent labor pains. Suppressed Lactia. Puerperal
Fever. derangement from weaning child

Ranunculus bulbosus

Butter Cup. Neuralgic affections. Rheumatism with heat & soreness. Cutaneous diseases —

Ratanhia peruviana

Rhatany root. Used to color port wine. Diarrhea, Hemorrhages —

Rheum

Rhubarb. China-root used. Disarms of children at night, with restlessness & moaning. Diarrhea of lying in women. stool green.

Rhododendron

R. tinct of leaves, buds & peduncles. Gouty & Rheumatic affections with ag of pain by changes of weather. Hydrocele. Inflammation of testes & Epididymus. Toothache ag during rest.

Rhus Toxicodendron

Erysipelas inf^{re} vericular. Bathes the leaves after sunset or in a damp day & R. tinct. Use also the flowers —

Rheumatism of large joints, with stiffness & soreness upon first moving but am by continuing exercise. Scabies

Erysipels of head & face. Carbuncle. Typhoid fever. Scorpious Ophthalmia

Infantile Ophthalmia. Urticaria. Scarletina Exhausting Diarrhea. Hemoptysis Typhoid Pneumonia. Lumbago after 36 hours. Coxalgia. Paralytic aff^{ns} in children. Cracking in articulation of jaw. Cramps of legs at night —

Ruta Grav²

Leaves & Redwood. Allopathic Stimulant & Antispasmodic, produces Abortion.
 Hemorrh. Gnawing pains in periosteum ag by rest, & in damp weather.
 Painful vision - caused by straining eye, at minute & objects -

Sabadilla

Alder-buckthorn. Obstinate intermittents. Quotidian & Quarta
 with chill. Angina with constant inclination to swallow.
 Tinea Capitis. Influenza &c &c —

Sabina

Savine - Amenorrhoea. Menorrhagia
 Menstrual colic. Leucorrhoea after Menus, Menorrhagia after abortion.

Sambucus

Common Elder. R. tinct from bark of young branches -
 Millers Asthma, with heaviness & suffocating catarrhal conj.

Sanguinaria Can²

Used in diseases of mucous membranes & respiratory organs. Rheumatism

Sarsaparilla

Urinary difficulties. Cutaneous diseases. Sore throat. pain
 in Throat. Give dose of tinct. for pain in back after
 micturition. Headache. Gouty affections.

Secale cornutum

Spermidrye. Retinct from fresh grain. Used in congestive diseases. Headache. Putrid diarrhoea. diseases of Uterus, & appendages. levamps of pregnancy—

Senega

Snake root. disease of the chest. Pneumonia. Bronchitis.

Sepia

Juice of cuttle fish. Used in diseases of female. Menstrual derangement. Herpes. ringworm. Scabies. Eruption about large joints. Headache shooting pains in face & forehead. Ulcers. Varicose veins. Ophthalmia. Diseases of Pregnancy. Abortion. Heartburn Waterbrash. Pyrosis—Lunar ha. Sore nipples. Alternating heat & chills at critical age.

Silecia

Basin of flint & quartz. has a long action. Chronic diseases—diseases of the mind as at change of season. Polypii. Scrofula. Caries. Herpes—Trinea capitis. tumors. Anthrax. Malignant tumors. It favors the expulsion of foreign bodies, when in the flesh. Mammary abscess. Follicle Ecthi fever. Malign fever. Fungal hematomas of eye. Burning of face from ears. Ulceration of palate Venes. parotitis. Dropsy of pregnancy. Urinary diseases. Gonorrhoea. Stricture. Nocturnal Urination involuntary. Anæmisms. Pains arising by motion

Spigelia anthelmia

Pink root. *Spigelia Marylandica* is similar to it in action. Alls path
Grand remedy in worms. Give 1 tea-spoonful of infusion of root over honey 2 -
& then a dose of calomel. Worms R. tinct from root P. Headache with
inflammation & lachrymation of sight eye. Derivation of swelling in eye
& soreness upon motion, & as if it would ~~burst~~^{be} pushed out of orbit
Nemicroamia. Strabismus. The child will run & hide its face. Pain in
Ball of eye & optic nerve. R. J^o W. thinks it acts as a narcotic
upon lumbricoids & they are expelled. Pains run in morning
illusion of vision, flashes of light, humming in the ears - Worms
itching of nose & enlarged abdomen. Nausea & vomiting. White tongue -
Carditis. Rheumatism of heart. Full pulse. Full hard throbbing
of heart. Can hear pulsation of heart. Palpitation. Hypertrophy.
Spasmodic diseases of children.

Spongia

Goitre. Scrophulous & cutaneous diseases in Allopathic treatment
Hemorrh. Glandular affs - leucoph. Breaks off before midnight
Dry hoarse cough. Bronchitis. Heat in trachea.
Early goitre. Orchitis, alt with Clem + Phos - ac
Dull headache in right side. Dyspnea & c.

Squills

(Squilla maritima)

Allopathic Diuretic & expectorant, 6 to 12 grs. powder, mostly. Pleurisy & Pneumonia
 Hemorrh. Pneumonia Pleurisy Hemoptysis. Dry & painful cough
 Hydrothorax. Anasarca. Ascites. Great deris. Urinary with scanty
 emission. inability to retain urine. Noct. emission. Diabetes

Stannum

Tin — Powder tin used as an anthelmintic by Allopaths
 Hemorrh. Epilepsy. night sweats. Lues venerea. Laryngitis with loss
 of voice. Cough with copious expectoration of purulent yellow mucus
 Incipient Phthisis with small lumps of transparent mucus, which flies ap-
 pearish expectoration. Humid Asthma —

Staphysagria

Use Seeds — Cutaneous diseases. Herpes. Tinea capitis. Glandular affs. Neuralgia
 Toothache when eating, teeth feel loose. gums white headache. Beharic
 Neuralgia Use also Rhubarb & Nephars. in Coxalgia Colic

Stramonium

Use Seeds. Immobility to noise. cannot be aroused, eyes open & pupils dilated
 Stupor. Irising of fingers & grasping at imaginary objects. convulsions of children
 child grasps at bed clothes. tongue rolling about. Constipation. feels happy
 talks incessantly. Drunken sleep.
 Diseases of the brain. Copperish hue in scarlatina. Slow eruptions.

Sulphur

R by Sublimation & wash with Aqua pura Remove Sulph. acid.
 Thus treat? Used especially in chronic diseases. Herpetic eruptions.

Crusta lactea. Itch. Small Pox. Erysipelas. Measles. Scarlatina &c

Sick headache with no desire to move, no thirst, no appetite & ag by
motion. Facial neuralgia. heartburn. Dyspepsia, sickness
 after meals, sour eructs. Diarrhoea. Dysentery. Hemorrhoids. Menstru-
 al diseases. Loose cough & hectic fever Am by warmth.

Headaches predominate upon left side. ag by rising —

Sulphuric acid

Mucus sore mouth, aphthae. Red tongue. Cracks across tongue.

Tongue so tender that she can hardly eat. Pyrosis

Expectoration of blood, during cough

Tartarus emeticus

Bowel affection of children. Cholera. Cholera morbus. Cold
 perspiration. distension epigastrium &c —

Thuja oc

Tree of life. Lycosis. fig warts. Cures everything Syphilis —

Gonorrhoea. Throat affection from mal treated Syphilis —

Urtica urens

Stinging Nettle. Burns - Nettle rash &c

Valeriana

Headaches with coldness of head. Hobbs hysterical,

Veratrum album

Disorders of Stomach & bowels. Cholera infantum with brown discharge.

Asiatic Cholera with vomiting from least motion. Cold perspiration.

Diarrhea. Dysentery. Lollap

Verbascum

Hoarseness from reading & speaking

Zincum metallicum

Affections of Urinary organs. & disorders of heart.

Pain in region of kidneys & ureters


Thus closed a very imperfect course of lectures on
Materia Medica delivered by Prof Williamson
on Feb 20th 1852, at the Almonro Med Coll Pa

Being his first term he had not made proper
arrangements & consequently had to hurry through.

Toothache

	Pain					Concomitant Symptoms								Conditions				
	1 Dancing	2 Drawing	3 Digging	4 Daring	5 Shaking Shaking Shaking	6 Shaking	7 Shaking	8 Shaking	9 Shaking	10 Shaking	11 Shaking	12 Shaking	13 Shaking	14 Shaking	15 Shaking	16 Shaking	17 Shaking	18 Shaking
Bell	ph cc	ph cc	cc	cc	c	cc	cc	cc	cc	c	c	cc	cc	cc	cc	cc	cc	cc
Bry	ph cc	h c	h cc	h c		c	c	c	c	c		cc	cc	ph cc	h cc	h cc	h cc	h cc
Cale-c	h c	ph cc	ph cc	ph cc	ph cc	ph cc	ph cc	h c	ph cc	ph cc	ph cc	ph cc	h cc		ph cc	h cc	h cc	h cc
Cham	h cc	h c		c	c	c	c	h c	h cc			ph cc	ph cc			h cc	h cc	h cc
Chin	h c	h c		h c	h c					ph cc						h cc	h cc	h cc
Mure	ph cc	h c	cc	cc	cc	cc	cc	cc	cc	cc	cc	cc	cc	h cc	h cc	h cc	h cc	h cc
Mez	h c	h c	h c	h c		ph cc				cc	cc	cc	cc					h cc
Mx V	h cc	h c	h c	h c	c	cc	cc	cc	cc	cc	cc	cc	cc	h cc	h cc	h cc	h cc	h cc
Phs	ph cc	ph cc	h cc	h cc	h cc	h cc	h cc	h cc	h cc	h cc	h cc	h cc	h cc	h cc	h cc	h cc	h cc	h cc
Puls	h cc	h c	cc	cc	c	c	c	c	cc	cc		cc	cc	ph cc	h cc	h cc	h cc	h cc
Rhus		h c		h c						ph cc				ph cc	ph cc	ph cc	ph cc	ph cc
Staph	h c	h c	c	cc	c	cc	cc	cc	cc	cc	cc	cc	cc	cc	cc	cc	cc	cc
Sulph		h c	h c	h c	h c					ph cc	ph cc			ph cc	ph cc	ph cc	ph cc	ph cc

Prof Neidhards. Table



Profr Sims Surgery

In honey combed Carbuncles lay open with X incision
Administer Sclix, Ars. & Arn. Gangrene usually arises
from a constitutional disease. Ars is considered a
specific for Gangrene in debilitated subjects.
Ice cold wine should be given when Beef & chicken
broth is rejected, Or support vital forces untill Ars
can act. Bell. China, & Secale. Corn are also good remedies.
If a red line appear above the gangrened portion it is favorable
Amputation should be performed about 3 inches above the line.
If the dead portion is offensive apply powdered charcoal.
In acute cases Administer Acon 1st & 2^d. In gangrene
of the scrotum or penis. keep the part elevated, & if
there is congestion to any part threatened give
Mur-ac. Bell. China. Inflammation of skin give
Acon & Bell. Erysipelas is indicated by better taste in
the mouth & brown tongue with intense pain & morbar regions

This bitter taste attends all cutaneous or eruptive diseases & is often a result of mechanical injury such as incised wounds etc. Acar Bell & Phos Tr.

Rhymer is indicated when it attacks joints

Pals when the disease attacks the ear

Ar " " " assumes a Typhoid type

Bell " " " when it attacks the scalp

Cancer

There are two varieties, Occult & Open. The occult are not very painful. Schirrus tumors. hard & indolent. The "Open" are ulcerated & painful. In cancer of the breast there is the prevailing symptom of a leaden weight hanging down - Plaster of Cicuta has been used. The remedies are Ars. Bell. Cic. Cor - N Vom & Merc.

Cancer of the eye appears before middle life - it is often complicated & resembles Fungus Momatodes. It appears in canthi & under & rather behind the eyeball.

In removing the eye always remove the lachrymal gland or its secretions will become troublesome


Prognosis is unfavorable

Cancer most frequent in under lip. Remedies Graph & are
Best way is to operate & after give remedies to correct diathesis —
Never operate when glands are affected. Make V incision
Cancer of tongue caused sometimes by biting with an old decayed tooth.
V incision. Cancer of Stomach occurs at middle age.
Sensation of Burning in region of Stomach. Indigestion, cannot
bear food, it is instantly rejected. Weight in region of Stomach
Tumor may be felt in Epigastrium. gives rise to a cough with white
expectoration, loses appetite. Emaciation. A discharge of
Blackish matter from the Stomach & Bowels with lancinating pain —
Diarrhea & Costiveness. Mind remains clear to the last.
When the Pylorus is the seat of the affection. There will be
vomiting at stated periods (say 12 or 24 hours) after eating.
Flatulence. A tumor between ribs & navel. Nausea —
When it is the Cardiac orifice. No tumor can be found.
Pain just above the kidney, in back. Gurgling of mucus —
Vomiting immediately after swallowing. all food Indigestible.
Prognosis, unfavorable. Remedies. Worm. Ars. Cicuta
Con. Carb Bar. — Ars & Cic best remedies. Worm for costiveness
Phosph & Conium when it is the result of Hous

Cancer Continued

Cancer of the Uterus, some symptoms similar to Prolapsus. It usually attacks the Cervix & cervix. Use frequent injections of warm water. Use a female syringe while the patient is lying upon her back & insert it at the posterior fourchette & push instrument far up.

Cancer of Breast. Must be very careful & leave no small pieces after extirpating. Two classes — 1st where the gland itself is affected. 2^d where you can recognise a separate tumor. When the breast itself is affected I would never advise operating. There is a loss of 90 per cent of patients. Danger of effusion in chest. Contamination of skin around the nipple & tubercles are bad. Don't operate when the skin is raw & when the nipple is retracted. The nipple is retracted by contraction of lactiferous ducts. Sometimes the tumor by hanging down, forms a dimple — don't operate then. Cancer of Rectum. Pain, burning during Evac. Torpidity of bowels. Worm shaped faeces — tubercles upon mucous membrane. Schirrus of testicle is very heavy & hard

Excise it. Put ligatures upon arteries with fine thread.
When the tumor is very large make a  Incision
& take out a portion of scrotum.

Cancer of Penis. It appears first like a wart
It has a large base & appears like portion of gland—
In venereal wart the base is narrow. When upon the
prepuce, Circumcise the patient. Remov. Ans. Can. & is Staph
The removal of gland penis does not destroy the pro-
creating power. Pull the prepuce down over the glands
& divide both with 3 incisions. each time ligating
the arteries. Patients are sometimes lost from no it were
reabsorption of Urine. When there is fever give Acid & Arn.
To reproduce urine give Cann. Canth or Turpentine.
When upon the prepuce, sometimes remove with V incision.

Fungus Haematodes

Arterio-matous - Small elastic tumor with lancinating pain. In advanced
stages it easily bleeds. Best method to check bleeding is to plaster on
powdered Alum. In fungus of eye there is an appearance of polished
steel, far back. In fungus of testicle the disease is in testis
themselves. In Hydrocele, the water settles to bottom scrotum
test with a light behind the scrotum.

Fungus Haematodes Continued

Remedies are of but little use. The cyst contain a fluid which flows out upon puncture. Spongy tumors are surrounded by a membrane with a tendinous ^{center}.

No use to remove the brain-like tumors.

Scar out cystic tumors. Do not cut, for fear of puncturing & evacuating the fluid. If the cyst is wounded, take it all away with forceps.

Wounds

- 1° Simple incised — with sharp cutting instrument
- 2° Lacerated — with a blunt, irregular instrument
- 3° Compound — communicating with cavities of Thorax & Abdomen or joints.

Incised wounds are either longitudinal or transverse.

Caries (ulceration of bone —

Necrosis is death of bone. Scrofula. Venereal disease & abscess will produce caries. Where it is scrofulous it will be found affecting tarsus & carpus.

Syphilis — affects the palate & nasal bones.

Cancer sometimes causes caries

In caries you can pass the probe directly into the spongy diseased bone. In necrosis the bone feels rough & hard

Remedies - Ars. Asa-f., Arn., Bell., Calc., C., Con., Nitr-ac., Clem., Phosph., Merc., Mez., Phosph-ac., Silx. — Phosph. of Lime

For Scrofulous cases, ^{use} ~~Syphilitic~~ Merc., Puls., Aurum —

For Syphilitic do use Merc., Lach., Nitr-ac., Sars., Pho-ac. Guaiacum. Iod. Thuja. Iod. of Potash. & For Cancerous Ars., Bell., Con., Silx., Sep., Sulph. —

Ars. — In debilitated constitutions with foetid discharge

Asa-f. — Mumbres, foetid green discharge — Aurum, Bones

of nose & palate, with pus which often changes its color —

Calc. — long bones. Con. — Sternum. Nitr-ac from Mercury.

Lye — Nocturnal pains & Syphilis. Phosph & Staph when

teeth & alveolar process are affected. Thuja for Frontal sinuses

In caries of carpus & tarsus the gastric juice of the hog is

good. In caries of hand, bind hand up towards shoulder —

Necrosis —

Never extends into joints. — Soft parts swell & burst, pus escapes, probe & you will then detect the characteristic roughness, ~~the~~ The loose pieces of bone are called Sequestra —

Necrosis. (Continued)
Treatment. Silicia, Mure, asa. Sulph

Mollities ossium

Softening of bone — Rems — Dale, Calc c, — Lyc
~~Lycopodium~~ in Fragilitis Ossium

Remedies Mez. & Silic

Rachitis

A disease of infancy & frequently follows Syphilis
& Scurvy — Order frequent baths & not allow
the patient to rest his weight upon bones.

Remedies, Bell. Puls. Mure. Staph, Nitr ac, Phos & Phos ac —
For Vertebral, Calc Staph Silic & Sulph

Coxalgia —

First symptom is pain in the knee joint
Prep or strike the trochanter suddenly & you will
produce pain. Straiten the leg & while pushing
the trochanter in, strike the bottom of
the foot. There is sometimes spontaneous
dislocation & it precedes the formation of pus

Remedies for cough in fracture of ribs. Hyes
Bell & Opi

In Fractures of sternum bind a roller around
the ribs to prevent displacement by breathing.

Diseases of the eye Ophthalmia

Chemosis is owing to an injection of conjunctiva
so as to make the cornea appear flattened.

Acon. chemosis. acute inflammation, give every
2 or 3 hours. Conjunctiva is of a yellowish
hue with burning & pressure. Sensation
as if sand were under the lids. Sensation
as if the cornea would stick to the lids
itching. Catarrhal ophthalmia.

Cham. Agglutination of lids. great restlessness.

Bell. Dryness. dry cough, as in evening, restlessness
in evening. discontented. Swollen conjunctiva
Eye lids swollen. Diminution of vision

Ign. Inflammation with aching, fluent coryza

Opthalmia (continued)

Euphr. Much profuse & redness, excessive coryza, which is acrid. Eyelids swollen. Constant desire to blink.

Ars. Inflammation of conjunctiva. violent intense redness. Swelling of eyelids. profuse acrid flow of tears. Photophobia.

Sensation as if sand in the eyes—
Hepar S. Marc. Dig. Sep. Puls—

Purulent Opthalmia

Sometimes in infant soon after birth.

Keep the child in a ^{dark} ~~warm~~ room for a few days.

Acon.

Euphra. copious lachrymation & secretion of mucus. Small ulcer upon Sclerotica & cornea

Cephalalgia. profuse coryza. Worse in evening—

Ign. Extreme aching in the eyes with copious lachrymation. dimness of vision. fluent coryza.

Bell. Great dryness, conjunctival inflammation. Flashes
of the face, determination of blood to the head.
Excoriating coryza. Dry hacking. Spasmodic
cough, which is felt in the head.

Ars. Intense burning, acrid secretion of tears, intermittent
Sometimes better then worse again.

Cham. Diarrhea. Eruptions about the eye, restlessness
pewish disposition. Alternate with Bell.

If Purulent Ophthalmia occurs at in an infant, at
the breast, regulate the diet of the nurse & then
give her medicine also — . Calc. carb

Merc. s when there are constitutional symptoms.

~~Ymnorr~~heal Ophthalmia.

Usually but one eye is affected. In purulent ophthal
Both eyes are usually affected.

Merc S. Use 3' trit. Repeat once in 6 hours. Keep patient in
a dark room. Keep virus from unaffected eye.

Nit-ac & Puls. When arises from suppressed gonorrhea
Bathe the eye in tepid milk & water, low diet.

Keep the patient in bed until he perfectly recovers —

Rheumatic Ophthalmia

Sudden violent stitches in the eye. Red lines in sclerotic coat radiating from cornea. Shooting pains in temples & cheek of affected side. Eye feels stiff & immovable. Photophobia. Worse from sunset untill midnight.

Do not allow bathing with cold water. The acute form may continue from 2 to 6 weeks.

Puls. Inflammation slight at first.

Bry. do & pain both excessive.

Rhus. After Acon. Burning & pricking as if the eye would be forced out of the head.

Clem-erect - Eyes glued together. Constant flow of burning tears, which is aggravated by a draught of air.

Merc. S. Pall Pain all around the orbit.

A web or membrane appears upon the sclerotic. dimness of vision.

Euphr. Photophobia diminishes but pain about the head increases.

Kale-c Sulph - least.

Arthritic Ophthalmia

Commences with a pricking sensation or a formication in supra orbital region, followed by a rending, boring pain. Pain in bones of orbit.

Can do nothing with a patient if you allow him to use a feather bed or feather pillow. Eye is red color, a fine wreath of injected vessels surround the iris, but separated from it by a white ring -
Acon.

Bell. Inflammation of retina. Sensation as of a pressure of the eye backwards into the head. Black spots before the eyes. Sees sparks or wafers moving -

Calc.c. cutting pains in the eye ball. Pressure pain in the forehead upon motion. disposition to be constantly moving the eye.

Spig. pains deep seated. Boring pain directed towards the inner angle of the eye. Eye ball feels as if enlarged. Sensation as of a flame blazing before the eye, when the lids are opened.

Arthritic Ophthalmia (Continued)

Dig. Pains exceedingly severe. Great fear of contact.
acid flow of tears. lachrymation more in
a warm room & am in open air. Sensation
of weakness in eyes. Agglutination.

Sepia. China. & Phosphorus —

Scrofulous Ophthalmia

It is a species of conjunctivitis. The symptoms
are ameliorated in evening & worse at midnight

There is either a flow of thin tears or corrosive mucus.

Shooting in globe of eye. Conjunction of lids much infl.

Eye lashes fall out. lachrymal sac often implicated

Abscess will sometimes form —

Puls. At commencement. stinging pain. Photophobia —

Nux-v. Much burning & stinging — as in morning

Repar-s & Calc-e. in alternation cure many cases ^(are 3 best)

Bell. Numerous bundles of red ~~veins~~ vessels from
angles to cornea. painful profuse, when looking up.
ag by damp weather.

Ans. In obstinate case alternate with Sphæria

Cale. c. Sensation as of a foreign body in the eye.
driars seems to extend back into the head
a cold lachrymation in evening —

Rhus. A. Herpetic eruptions upon face & eye symptoms,
similar to Cale. c.

Cann. Sep. Dig &c
Iritis

Pain extends from eye brow to orbit & back to optic nerve —
Conjunctiva is not inflamed. Photophobia. Iris
loses its color & is covered with ~~mucus~~ minute opacities.
Pupil contract & seems inverted. Iris is sometimes
attached to cornea or capsule of lens. After comes
in after cataract. Caused by a bright light, sometimes.

Acon. in early stages. Bell. pain in fore head —

Cina. Aching pain in head, dryness, immovable pupil, scintillation

Merc. c. Vision much impaired in late stage. Plumb — Infection of lymph

Chm. c. Caused by Mercurials, Serofulous diathesis, Staph. Py., Cale. c., Con., Lye.
Cocc. Arthritic fever, contracted pupil, lancinating in orbit —

Opacity of Cornea. Nitrate of silver local
Arn. when caused by mechanical injury. Apply as a lotion & internal —
the Tinct from flowers after filtration
Calendula. Lacerated wound about cornea } Sod of Potas h. when
Sod. 1 drop tinct in 20 drops alcohol. } of serofulous diathesis

Bataract

Every thing seems enveloped in a mist. Patients see better at morn^g & eve, because the pupil is dilated, allowing the light to be admitted at the sides of the lens. A candle has a white flame surrounding it, which grows smaller upon approach. Caloptic test.

The distinguishing signs for amaurosis — an Pupil angular or dilated. Cornea dull & aggravated by depressing emotions & disagreeable society &c. — Ameliorated by stimulants. pleasant society &c. — Flame of a lamp appears surrounded by variegated colors. —

Causes of bataract. Frequent intense bright-light. Straining the eyes at small objects.

After Hemorrhoids, Syphilis &c.

Proximate cause is inflammation of lens or capsule.

The arborescent variety is always the result of mechanical injury. Bataract is often congenital

Remedies Puls, Bell & more were at one time
used by the old school — (But their doses were too large)

Galvanism has cured many cases

First ascertain diathesis of patient.

Puls — Rheumatism from suppressed cutaneous aff.

Cann — acts well after Puls — When they are pro-
duced by mechanical violence, traumatic catarrh.

Cart-magn + Cann. alternated. Sulph + Caust —

Concise chelid Phos. Sil Euphor Ruta, g — Nitric

Nysa — It will require persevering treatment to do good.

Never operate when there is violent pain in head.

de — — — — — de — — — — — Rheumatism

Don't operate upon Hysterical or Hypochondriacs —

Apply Bell or Stram to orbit, to dilate pupil.

Operations —

leouching

Extraction

Absorption

Operation for Cataract

Never operate when there is pain in the orbit.

The operation for absorption can be repeated.


Coffee will overcome restlessness.

Don't exert the eye immediately after an operation.

Put on a black bandage & keep patient in a dark room.

Don't look at sooner than 24 hours.

May gradually expose the light after 8 or 10 days.



Thursday Jan. 2nd 1862

Spent the day in the city

and in the evening went to the


theater and saw the


performance of the new opera

which was very much admired

and I returned home

very much satisfied with the






J. C. Leominster

Historias

1850



J. G. Loomis

Obstetrics



J. C. La Touche
Attorney
at Law
St. Louis
Mo.

1
Examine the tongue after delivery & if you find it presenting a far boiled appearance, it is a very sure indication of Uterine hemorrhage— If the child has been strangled, spit a little cold water from the mouth on to its chest, then put it into a warm bath & inflate its lungs.

For the swollen tumor of the scalp, wash in cold water & apply wet cloths, or a weak solution of Arnica & give one globule internally.

On your first visit to your patient after delivery, enquire if she has passed water.

Arn & Cham for great swelling of parts.

Bell & Arn. If the bearing down pains continue.

Pals. Great despondency.

Nux. V. Pain in bowels & constipation

Cham. Pain in the back.

If the lochia ceases in less than three or four weeks, beware of Purpural fever— give con-
Bry. Pain in head, extending to abdomen, increased by stooping—

Rhus-t. Shooting pains up the rectum after delivery—

Ars. Burning in Uterus & bladder.
If the breasts are cold & flabby & milk does not appear apply oil or raw cotton.

Bowells should move about fifth day after confinement, if not give Molasses & water injections
Lyc. Mux Vom or Igr for Constipation—

Tedious labor

Puls & Secale.c — Pains too short.

Coff. Mux-V. Secale.c. Pains fruitless.

Mux.V. Disposition to pass water & force —

Op. Bell or Puls — Flushed face

Acen. Should precede above named remedies if the flushed face is accompanied with heat.
Cham. Igr & Opi when labor is interrupted by mental causes—

Secale.c. In cachectic constitution. Use 30th
less often often dangerous

Pub. Nerv-v- Rigid As Uteri
 Plat. Sensitive membranes
 Ann or Rhum.t. Swelling of As Uteri.
 Coff. Cham. Great restlessness.
 Op. Ign or Rys. In powerful labors;

Obstructions to Labor

Three varieties

- 1st Natural forces will overcome
 - 2^d Can be overcome by assistance
 - 3^d Child cannot pass by natural passages.
- Leucos. As. Uteri very small. Tumors
 Carcinomatous tumors. Narrowing or
 constriction of Vagina, caused by ulceration,
 laceration or constriction.

Vaginal hernia sometimes occurs.

Modes of delivery in obstructed labor.

- 1st By Forceps
- 2^d " Crochet
- 3^d " Caesarian Operation.

Deformed Pelvis

Five Varieties

- 1st Pelvis too large
- 2^d Pelvis too small
- 3^d Deformity of brim
- 4th do " cavity
- 5th do " outlet.

When the diameter of the pelvis is less than three inches the child cannot be born alive - In a case of small pelvis the diagnosis can be made by touching the promontory of the Sacrum.

Premature Labor

There are several modes of producing abortion
Pul membranes by introducing a finger
or a blunt probe into the Uterus
Puncture the membranes.

Galvanism. Ergot. Oil of tansy. Oil Savine
The secretion of milk is usually delayed
after abortion.

Version

In ordinary cases, bring down the head if possible.

In cases where a speedy delivery is necessary from uterine hemorrhage, the best position to place your patient is upon the back, & bring down feet, knees or breech.

Introduce the hand into the vagina during the pain.

In cases of hemorrhage & a head presentation, crowd up the head & bring down the feet.

In bringing down the feet, keep your fingers between them.

Bring down the head in the first position. As soon as the umbilicus of the child appears outside, rotate slightly to bring in a good position in the inferior strait.

Lift up the body of the child & bring out the vertex under the symphysis pubis, if retarded then, place a finger in its mouth & draw down — (over)

Version (continued)

A breech presentation is more safe than a footling, but not so speedy. It dilates the parts.

A good plan is to sometimes bring down one foot.

Puerperal Fever

Distinguish from Ephemeral fever by the breasts being flacid & not increased in size & tender.

Puerperal fever has tenderness of the abdomen, radiating from fundus uteri.

Edges & point of tongue red, middle white —
Abdomen distended & tympanitic when percussed.

Pulse small & wiry & at 140 or 160

Indifference to welfare of the child

The lochia is in many cases entirely arrested

The symptoms make their appearance in from two to three days after delivery usually —

Sometimes occurs before delivery

7

Diarrhea + Nausea are often present in late stages.

The distinguishing sign from Metritis, is the tenderness is confined to the supra pubic region in the latter.

In intestinal irritation, the pain is diffused through the abdomen + does not radiate from the fundus uteri.

Treatment.

Acon. Bell + Bry. Grand remedies —
Ham. Bowells extremely tender, nervous restlessness
Carb-veg — In late stages. Burning sensations —
Ars. Great prostration. Pulse small + wiry. Burning
Canth. Great difficulty + burning during micturition.
Hyos or Stram. Fullness of head, delirium
Phos alternates with ars — Coloc. Phos

Post. mortem

Parts much congested. Serum + coagulable lymph
poured out. Often find membranes covered with pus.
Adhesions of parts. Softening of membranes —

Phlegmasia dolens

Generally find the femoral vein hard & rolling under the finger.

Pain in the thigh or calf of the leg with swelling which pits upon pressure, especially when the swelling is not excessive.

More commonly attacks the left leg—
The limb is usually warm at the commencement of the disease.

It may terminate by suppuration.

Causes. Disease of the veins of the Uterus.

Treatment.

Careful & even bandaging—

Remedies. Arn. Bell & Rhustro—

Scal. c. high attenuation—when there is
prolonged menstruation.

Lach. is a grand remedy in many cases.

Sulph

Chlorosis

It commonly commences with constipation & probably originates in the organs of digestion & assimilation.

Urine is scanty. Thick coated tongue.
Tenderness region of liver. green colored skin.
Advice exercise. warm clothing & proper diet.

Remedies

Bry. China. Ferr. Lon. Lyc. Nat-m. Kali-c-
China. Blood watery & seems to be deficient in
red globules.

Amenorrhoea

Puls. Sep. Sulph. an Bell Bry Cupr Lach Lyc &c
When the menses are suppressed from or by
cold, with great pain in abdomen or in
the small of the back, administer
Puls, Sep or Acn, Bry or Plat.

Most commonly caused by taking cold
Some times caused by Chlorosis —

Dysmenorrhea

May be complicated with Leucorrhea
 There may be discharges of lumps resembling
 portions of the placenta.

Acon. Inflammation of inner coats of uterus,
 Great heat & dryness of parts
 or profuse Leucorrhea

Bell. Bry. Calc-e. Puls. Plat & Sical. c —
 Menstr too soon. Ign. Chin. Calc-e. Bell
 Calc-e. When there is Menorrhagia (too profuse discharges)
 Give one dose & do not repeat.

also give Bell. China & Spic.

When of too long continuance Calc. Bell. Chin & Spic.

Delayed Menstr Kali-e. Puls & Lach

Scanty do do do do

When Catamenia too short Canth. Plat & Lach

Acon. Febrile condition produced by sudden suppression.

also Bell. Ign & Spic.

The menstr becomes irregular (usually) at critical period of
 life & then generally require Lach

11
Leucorrhœa

Fluor Albus

Discharge may be greenish. Or men., white, glairy or sanguineous in appearance.

Acute form. Great heat & dryness of vagina thirst & headache. Pain in small of the back.

In Gonorrhœa the discharge is pus & there burning in urethra & meatus urinarius during micturition, with frequent urging to urinate.

In Leucorrhœa there may be burning but not at the meatus urinarius.

Leucorrhœal discharge may take place from the Vagina, Or Uteri or Interior of Uterus.

If the discharge takes place from the Or Uteri it will soon become indurated.

Causes. Exertion. Fatigue. Relaxed habit. Improper food
Confinement—in the house without exercise.

Acon. first stage. Great heat & dryness of parts.

Alum. glairy disch. Sep. green disch. ^{Graph. Pul.} Canth. Podoph

Oraritis

Diagnosis by pushing in from Anterior Superior Spine or process of ilium + you will recognize a tumor if the case is chronic. Pain is also produced by laying upon the opposite side.

Sepia + Loch will usually relieve.


Do not repeat them often, but from 1 to 4 weeks—

Prolapsus Uteri.

It usually occurs in persons of a lax fibre
advise a horizontal position + quiet. If Leucorrhoea
be present frequent abutions are absolutely necessary.

To reduce the prolapsed organ place the patient
upon her back + replace with the finger.

In persons of relaxed fibre or in advanced life
preparis are advantageous. Also Abdominal supporter.

 different forms of pessaries, but best
T bandage is often a fine application

Bell or Sepia will usually relieve —

Tumor at Meatus urinarius

Is loose & spongy. Produces intense burning during micturition. Urine splatters all about.

Usually requires the knife. Should in removing include whole orificia.

Think Staph a good remedy.

Hydatids

Some symptoms like pregnancy. nausea. constipation. Morning sickness. Enlargement of breasts.

About 3^d month they are usually discharged.

Caused by a lighted ovum.

Bell or Canth are good remedies —

Fibrous Tumors

Staph & Carb-an. best remedies. —

Polypii

When they are pediculated, ligate them.

Staph. Great vascularity. often will cause hemorrhage by an examination.

Thuja &c

Ulceration of Os Uteri.

Almost always accompanied by fever at evening - give Acon

Alternate Acon with Murex or Sulph.

Many cases become malignant
Carcinomatous ulceration requires
Sur. Bell. Sep or Staph.

Henry Sawory


Important

Quelquefois des femmes sont tourmentées d'idées
+ de désirs voluptueuse

Monsieur le docteur Tépier a souvent été
consulté, (en général il l'est indirectement par
le Confesseur)

La Marjolaine (organ^e vulgaire)

Le st Platine, font disparaître rapidement
ces tourmens.



Lecture
by
Prof^r Neidhard
on
Diseases of Females



Kidhard's

Feb 24th 1852

Amenorrhea

The principal remedies in use are

Puls, leoc, Sep, Graph & Sulph

Puls & leoc in slight cases

Graph, Sep & Sulph when there constitutional symptoms,

Case 1st

Headache with sensation of fulness & heat, ag in morning, & by stooping, Sensation of contact, Graph 3^d cured —

Scanty menstruation, bearing down with feet & hands cold & headache — Graph 6th cured

When there are Hemorrhoids, & vertigo use Graph Sepia. Difficult menstruation of young girls —

Case 1st. Slight watery menses, uneasiness & soreness in uterus — Acid leucorrhoea ag by excitement — Sep — relieved —

Calc. Suppressed menses with heat upon top of the head & mental symptoms.

Icy & Sulph. - for chronic suppuration -
Icy - when caused by fright
Case -

The patient took vinegar to suppress the discharge,
& which produced blindness. Stram relieved
the blindness. Sep & Puls. after corrected menses.

Use Puls & Sepia when the suppuration is
caused by cold.

Phos. Menses short & scanty, headache at
root of the nose, nausea, cough -

Phos. is also indicated in a profuse flow.

Cann. In young females who have labored too hard
Also after Gonorrhea -

Dysmenorrhea

Graph. - Weight & heaviness in occiput, with
irregular menstruation, Disinfect acids -

Hydr-Iod-of Potash. Bell. Puls. Krews. Kali-hydr
Creos. when tendency to Carcinoma

Dysmenorrhea (Continued)

N. Vom. - Spasmodic pains in uterus before catamenia
Constipation. Profuse menstruation, sensitive
abdomen to the touch.

Bell - is palliative when there are drawing
pains in the back, which extend down thighs.

Kreos. - bearing down pains, are by appearance of
a watery discharge. burning pain in
sacrum - ag by standing & am by lying
down. Violent pains in the region of the
ovaries -

Sueph. - with hysteria & pain in the head -

Metrorrhagia

Uterine hemorrhage

Sab. Chin. Sep. Scall. c. Plat. Crocus -

Carcinomatous Uterus

has a brownish fetid discharge

Remedia - Kreos. Con. Phos. Ars. Carb. V -

Phytolacca - Sueph. &c

Leucorrhœa

The r - A radical cure requires a long course of treatment & the use of cold water, both externally & internally, exercise & proper diet -

There is almost always an eruption about the forehead accompanying this disease.
Graph. - Yellowish white discharge, pain in right side, headache in occiput & forehead, pain in abdomen with nausea

Iron - the different preparations of Ferrum are good.
 Calc-c. Leucorrhœa with itching of parts -

Alumina -

Iod - Simple Scrophulous constitution

Simple vascular injections of vaginal membranes requires Lach. Siph. Stann.


Critical age


Lach. almost a specific - Vertigo, sandy eyes -


Eruption, itching at pit stomach -


Merc - Cast. veg


FINIS























Injections

Sulphate of Zinc $\frac{1}{2}$ drachm
 Aqua pura 1 pint

Inject immediately after sitting with female hygie

Aqua rose chestnut R 1 pint water

Calacatan lino Castoreum R 1 pint water

Chloride of Soda $\frac{4}{10}$ lbs. spirit R 1 pint

Inject very thin. do not delay it in more than
 two or five minutes. but perform it even after the
 lapse of an hour.

A little extract mix prevent the retention
 from being given the minute.

James M. Smith
of the State of New York
do hereby certify that

the within and foregoing is a true and correct copy of the

original as the same appears from the records of the

State of New York

in witness whereof I have hereunto set my hand and the seal of the State of New York at Albany this 1st day of January 1861

James M. Smith

Secretary of the State of New York

Attest: James M. Smith

Secretary of the State of New York

Gonorrhea (Continued)

Solution — 3 grs Citrate of Iron in Aqua 83
 drs of the above solution, the tea poultice
 + add to the tumbler of water — Give
 a tea poultice after each meal, when rising
 in morning + going to bed at night.

Unguentum — for Chancre —
 13 oxide of Zinc + 2 or 3 Euphorbia creta

Collyria
 15 3 grs Ankerbury —

Dr. Rosas. Treatment of Acute Gonorrhoea

Local baths 4 to 10 minutes, long from 3 to 6 times for 3 days.
Catheters of Euphrasia, all that the stomach will bear, but do

not produce nausea.

Injection of Aetate Zinc 1 to 3 grs - 2 Aetate or Muriate
of Morphine $\frac{1}{16}$ of a grain & Aquea 1 $\frac{3}{4}$ -

Use the injection weak - or just strong enough to
produce an agreeable sensation - not smarting -

Injection to be used from 3 to 4 times for 3 days -


If the case comes when the first day of the discharge
use an injection of Aetate Zinc 1 to 3 grs & Morphine $\frac{1}{16}$ gr. Aquea 103
Physic every 2 hours -

At the same time employ the Catheter & Sitz bath -

Treatment after 3 weeks

Continue Baths, Catheter & sometimes a stronger
injection - Use in addition the following solution

Over



Gout

Hyperuricæmia of thyroid gland

Bed in high attenuation, but usually

Angina

Jaundice

Severe inflammation of the mucous glands

Jaundice, frequent severe or fatal stools

Thrombosis, hæmorrhagic urine, white excretion

Very great, abdomen enlarged, often

a long treatment it even this disease

Chronic, first stage, abdomen hard & moist

Waters, frequent fatal discharges, death for acute

Remission of something in each stage

Am. Chin. Med. Soc. Am. Soc. Med. Soc.

Phos. Soc. Am. Soc.

Orchitis

Phos. Soc. Am. Soc.

Phos. Soc.

Phos. Soc. Am. Soc.

Colic. Chronic inflammation which suddenly becomes a point
+ attack the heart, starting in new breathing, becoming in
distress. Suffered most. Arrive tardily + scanty.
Cocci. Affected as if a storm were lying upon when
position of chest. Pain and stenosis. Pain as
by eating, drinking or thinking + talking.

Obstruction. Ventral pulsating at the base of the heart.
Cerv. Dyspnoea. Anguish. Stitches in heart.
Verat. Functional derangement. cutting pulse
paralysis of heart. Choking -
Dial. ac. Sharp shooting pain in left side heart, extending
to epigastrium. Pain in left lung. Pain in heart
in pressure, extending from below upward. Suffering

Throac. Pressure + pain about the heart.
Dial. Ventral pulse increased by motion, and in
the horizontal position. Becomes as though
the heart were squeezed by other.
(p. 100 - 101)

Carditis

Dissect modicum after.

Acron. Dissection. Nervous in short. Nerves. Hair & shock-
 Out. Under disposition. with sardap - locc
 Pro. Cause by suppression of salivary discharges -
 maculation. Dissection at night - Chronic case -
 Canon. Aching hair at mid. Ulcerum.

Endocarditis

Acron. Heart does not beat with pulse at first
 Heart beats loudly. Administer first dose
 of heart after. every 10 or 15 minutes of pulse.
 Pile. Dissection of the heart as a complication
 Pro. In first acute & chronic. Dissection when dying
 when the back. scars when getting up.
 Cuts per foration or burning & bleeding about.
 Dissect cells or as if heart was empty in veins
 Pro. With pallidation from mental emotion.
 Canon. Vascular excitement with shock -
 Dig - Dig. Aching hair in whole short. the high after

131
Lilia. Parviuscort when another, night sweat.
Sant. Sic. Nephros. chin
China. When there has been frequent pulmonary
hemorrhages.

Sig. sudden ability. In the small & quick
Pulsation of heart.

Ph-ac. Advanced stage. Fever, inflamed throat
Nausea. Diarrhea

Mure.c. Soft hollow cough. inability to expectorate.
Breathing difficult & unequal. Dryness of lungs
Open ha of heart.

Carb-v. haemorrh. for a long time.
Caut. complete loss of voice.

Quick Consumption

N. rem. Dry short cough. dyspnoea. pain in chest. Frequent stops
Dysp. Ability. Incomplete expectoration. Nocturnal fever.

Sig. Cough & sputum in Ph-ac. Nephros. Chin. thick yellow mucus. cough.
Nephros. Nephros. Nephros. Chin. Chin. Nephros. Nephros. Nephros.

Dysp. Nephros. Nephros. Nephros. Nephros. Nephros. Nephros.
Mark bed soon with urine or brown agar
Cottodon is a good alk in bed soon

Pneumonia (Bronchitis)

Phos. Dry roneist-cough. Rattling in chest. Talking

at night the cough, cannot lie upon the back.
Chest in evening, followed by shudders of heart.
Heart in palms of hands + sides of feet. Indicate
in both incisive + confirmed Phthisis.

Stomach, Catarrhal. Easy expectoration, night sweat.

Heart + burning in palms of hands + sides of feet.
Phthisis. Sufferer is highly inflamed, scanty expectoration
but bloody, tough dry + viscid. As Phos. Cough
produces enough of sputum to cause the heart

Asthma.

Eye. Opulent expectoration. Dry expectation induces

till that asthma are about to form.

Dry cough at night, most in morning. Dry
skin + hands, chill in evening. Shudders of heart
in evening. Stomach night sweat.

Kali-carb. Incisive stage. Asthma is shut.

Contra. Profuse secretion.

Phthisis (Consumption)

late. c. denotation if the lungs could not be reformed
as if the chest were the narrow, dry night cough
the spirit, emaciation. Expectorator is

present. Indicated in person who are liable
to acquire even single thro. Expectorator bloody
greenish or yellowish. Cough in expectoration of
cough a sticking in the head. Cough cannot
stand. Throat. Diarrhoea. Debility.

Pul. Cough here from commencement of phthisis
in the day time. may be dry at night. Dyspnoea
separated by lying down & soon by sitting up.
Ph. Cough. Headache. Pain in abdomen when
coughing. Expectorator.

These. Dyspnoea similar to that of pleurisy but not so
dry. Cough or expectorator. often symmetrical like case.
Acute dry more with sibilant & if sibilant the
consumption is more acute.

Asthma. (continued).
Suffok. Patient starting up from sleep. Coughing
of heart. Indicated in advanced stage of
muscular variety.
Asthma of Willan

Other. Rattling in chest with much mucus.
Also, with purphrator, frothator.

The inhalation of Mucil. with Stearaloe.
Phthisis Pulmonalis

Very. Best remedy for simple the variety. Great
hunger - emaciated.

Still, short dry cough, producing foam in sputum.
Dematation of the chest would fly in pieces
Dematation from the slight heat is entire.

low spirit. Cough excited by tickling, continuing
night & day. Expectorator greenish. Mucous
lymphous. Expectorator copious

Well. Air under sternum & side, constant during the cough.
Irregular singular mucus with foam in back.
In some children, with cough & rattling of

Asthma

69
 1. Frequent cough as by mother. Cough with feeling
 of constriction throughout the whole chest.
 2. Dyspnoea as by talking. Great dyspnoea, anxiety,
 exhauster, anxiety increased in evening hours.
 3. Breaths with the mouth open. Fit of choking,
 great prostration. Pain in the limbs.
 4. Inspiration sharp at night. Shouting under
 the sternum. Constriction in larynx. Inspiration
 in chest. Collection of flatulencia which ag-
 gravates, for children, especially when the dream
 is hereditary.
 5. Nervous dyspnoea. Can only breathe while
 sitting up. Cannot wear the clothes tight about
 the hypochondriac region. Inspiration in abdomen.
 6. Pleurodynia with delayed catarrhus.
 7. Cough, quick & convulsive as if heaving Suck water.
 8. Pleurodynia with anxiety, fever at night. Pleurodynia;
 in the chest & chlorotic room.

Pleurisy (continued)

When inflammatory stage has been entered cough dry & frequent. dryness, harsh & fast rate. internal heat.

Stiff, inflammation extends to the lung, becoming very acute. When there is a serous effusion, quick. Great exertion of motion. After inflammatory subsides.

Earl. v - Angit-enzab.

China. In delicate persons. When there has been

a loss of animal fluids.

Also J. Halcand. As when there is great prostration.

Or Verm. still in left side while taking the preparation.

Asithma

Attack frequently persons of a sanguine bilious

temperament.

2 Varieties. Dry & moist.

Dry, comes on suddenly & is called convulsive.

Moist, attack comes gradually & is the most common

Time. Discharge of blood with burning sensation.
 Dyspnoea, suffocating cough. See asthma.
 at middle sternum. Asthma is circumscripta
 spot.

Locus. Tension of chest & obtuse at the heart.
 Ayes. Intense itching during inspiration.
 Cough at night & in a horizontal position.

Squell. Cough or froth from commencement.
 Wagon's system has been altered by heat.
 Rhoe. Asthma with hanging. Intense inspiration.

When J. Stam. Ayes in dyspnoea & cyanosis.

Ann. An. Seneg. Safford

Pleurisy

There is a rheumatic affection of muscles of walls of thorax
 which nearly never occurs Pleurisy —

Acute. Inflammatory stage, violent stitches. Disengagement
 of chest dry cough excited by inspiration.

Dry. Shooting pain in chest, stitching, third violent headache with
 shooting in right side. Cough continuously day & night —

Pneumonia (Continued)

Just em. Little or stringing hairs. 3 days.

Oppression of chest. Orchestral respiration

Emphysema upon auscultation. Bores cough

which brings relief. Asthma or hysteria.

Spasmodic asthma. Hiccough. Hiccough.

Stupor. Paralysis of lungs.

D. Vom. Bileous humor. Cough with difficult

expectoration of mucous mucus.

Deel. High fever. quick pulse. anxious breathing.

Delirium. Lips cracked. Cough with bloody

or hiccough. Hiccough. Hiccough. Hiccough.

Kanar. Lower portion of left lung affected.

Chills. Hiccough. Hiccough. Hiccough. Hiccough.

Heart thumps against walls of chest.

More. Heat heat. Burning lancinating pains -

insupportable with mouth dry.

Spec. When more pains are relief

Verat. Cold or hiccough.

Witch form when left scaphula to the heart.
frequent short cough. constant desire to cough.
Ditch & burning pains in chest, as by inspiration
& cough which is loose. Motion of chest & arms

agitated by asthma. Cough. Anxiety. Nocturnal
affection, called Angina. Fever accompanies a the first
character. Voice hoarse. Slight delirium. coma.

After sleep has subsided more acute symptoms.
Phos. All stages & types, with changing pains.
Lower part of lung affected. Shortness of breath
Give every 2 or 3 hours in 3rd part. + sometimes at-
ternate, with acetylene.

When combined with by phos. it is by itself.
Induration of liver in pharyngoma of lungs.
Lung countenance. Food rattling in chest
Cough.

Pul. Acute or fluctuating. Rheumatic pain —
In human & apes. In female of mild temperament.
When produced by fright or chagrin. Nocturnal symptoms.

Pneumonia

Acute. High fever, red face, quick pulse, great anxiety. It has a specific action upon the parasympathetic system of lungs. In 3rd part of heart, lungs, throbbing headache. Photophobia. Irritability & lie upon right side. Anorexia, nausea, with stitching at every inspiration. Cough with continuous stitching increased by motion. Cough with bloody expectoration. Frequent chill days & evening. Humid breath. Face swollen. Pulse intermittent. Pleural effusion. Covered by exudate to day & night. Congestion of lungs. White stringy exudation. Dyspnea, with constant desire to take a full inspiration. Oppression of right side of chest as with a lead. Induration of heart. Heaving of heart. Altered in the chest.

Very.

Wheezing Cough (Continued)
 Cough suddenly still during paroxysm —
 Clucking noise in the throat. (Especially
 trachea, blood from mouth. Vermine by system.)
 (Admon. diluted & hard.)
 More. Cough during day only or night only
 profuse sweat at night & vomiting.
 Dry. Suffocating paroxysms at night
 as after eating or drinking —
 More. Cough suppression, great weakness,
 pain in groin, involuntary micturition.
 Cold. Cough excited by a tickling in the throat.
 Bell. Cough preceded by a pain in the epigastrium,
 heart rattling. Child first wants to be
 carried, then shut doors &c., then falls and
 faints. After many remedies fail.
 Part. m. Great acidity, vomiting of food
 &c. Complicates with Doan.

Bronchitis (continued)

Serena. Expectorant. Senega. Codon. Hamamel.
 Tart-em. Aur. Sed. Sig. Lanth. Graph.
Purp. Pertussis

Whooping Cough.

Cute. Cough here from commencement, easy solution & freedom.
 Cile. Coughs taking cough at night. Resonant
 throat. Bad feeling at pit of stomach.

Sub. Cough diarrhea, dragging, kept up by eating etc.
 Spec. Suffering cough directed by inspiration
 . Pharmacologic stiffness of body.

Mem. Secondary stages. Cough more a stormy night
 something, harrowing away.

Aur. Coughing from the more months
 Sec. Deep calmly just half night + cough etc. midnight.

Carb. v. Ammonia. 2 May. Coughing from one month.
 Seco. When the cough threaten suffocation from pa-
 sivity. Things or food. Ann by mother & by night.
 Coughing from one month. Coughing by mother +
 something.

Something alternat with Senna

Acute Bronchitis

Acute. Acute form, hot skin, often pulse & symptoms.
 Cough. Difficult breathing, child as from pain coughing.
 St. form. Difficult breathing with constriction of chest.
 Wheez. constriction of chest extending to lungs.
 Coughs. Coughs or exacerbation, hectic fever.
 Sore throat. Pain & pressure in left side when taking a
 long breath. dry cough day & night.
 Coughs. Coughs attacked mucous. difficult or harsh
 of clear, mucous mucus, pain in sternum
 Dry. Burning oppression in chest, acute & take a
 deep inspiration. Mucous cough -
 When 3. Cough with rattling in chest. short dry cough,
 excited by tickling in bronchia.
 More 8. Cough excited by a tickling.
 Cough. An. An. An. -
 Cough. frequent dry hacking cough, violent pain in
 chest. Acute coughing.
 Cough. Acute coughing - with little cough or "vice versa"

Influence (continued)

mus. S. Heart & throat violently affected. Cough.

Merat. Syphocoryn. Acet. Mer. & c. com. in h. v.
Acet. high sweet quick pulse.

Acron. high heart + quick pulse.

Pach. ranae *aphelie*, *coarct* *tongue*, *more* *disposition*.

Sabad. inflammation of chest.

Alle, Abu-1-Chana, Chordind-Bukh.

Bronchial affections of Children

Acet. Antimoniasine, Tartar-emetic.

Euphr. Vestrum corpa. ad conjugum

Dr. Wm. Dry Carissa, present nursing. Dublin

with the mouth open, agitated by heat
amplified by fear.

When breathing is difficult, and some talk when

The roof of the skull more. Also in Scapulae.

and with some warm flannel or dard.

Date. Dry (1932). Ambrinam account as by
or from the cold air.

at present the cold air.

Frank, activity + inspiration. Carl Vog.

Ill. Hoarse cough after a meal, or that hoarse cough, chest sore, pain in abdomen, induced by cold drinks, or by talking, more when lying down. Coughs, usually at night, violent & spasmodic, Spasms, or Asthma, more in the practice which is easily & frequently. Chest pain made Cough when lying upon the right side. Exacerbation of a catarrh of the throat, or of the larynx, as by reading talking coughing, tickling throat in oropharynx, less coughs. Stitches in the epigastric area when coughing, Stalk, irritation from behind the sternum, when coughing, or fluctuation of liver, Dry, hollow cough.

Influenza

Ill. Sudden, short, dry, burning pain in the throat, as a halcyon & will return the same

When a catarrh (continued)
 Igne. Sord. frequent. Dry cough. coughing does
 not relieve. But produces a sensation of
 constriction in throat. Heat felt raw.
 dry cough with burning. The exertion
 are common during advanced stage.
 Loud rattling in throat.

Phos. Imitation producing dyspnoea & vomiting

of haemoph. tickling. Cough is largest, under
 the ribs, in the order & umbilical region.
 Dry cough & no exertion. Something in
 the chest which cannot be coughed up.

Phos. Cough produced by a burning in the chest.

Chin. Cough excited by laughing. Hoarseness & inspiration
 as by eating & drinking. It produces a

brown foetid mucus. Mucous expectoration.

Cina. Catarrhal affection which remains after
 measles. tickling. Cough is harsh. Cannot
 detach & carry up the mucus.

Amr. am. Obtuse chronic cough. whitish thick & expectoration.
 Hoarseness in the chest. Fullness of the head.
 Cough more at night.

cough increased night.
 Balc. c. cough increased by conversation & if drunk

in the throat. Rose cough. thick, yellow &
offensive or fustrian, mucus of a sweet taste.

Case. Neurasthenia + dry cough. Rheumatic pains in the limbs. Pain at end towards glands.

or should be.

Card A. *Colt's humanus* ⁱⁿ *advances*.
 stage. imitation of birds of the throat during
 cough. Cough after slight exertion & cold.
 Cough increasing when ascending from bed.
 & when going from a room to a cold room.
 Cough at night ~~before going to bed~~ before
 going to sleep.

going to sleep.
 suffocating cough. Oedema, constriction, is
 large. Mutations in mouth.
 Hitherto is large.

Submucous catarrh (benign)
 Rhin. P. Inflammation of the mucous membrane of the nose, and of the
 a large surface, cough producing, sneezing, in form,
 supp. Phlegm, catarrh in throat, especially
 when lying down. Catarrh of the larynx, of the trachea,
 of the bronchi, of the lungs, of the pleura, of the pericardium,
 during the day & night. Application
 in chronic catarrh, & is often in it
 after, wait one or two days.

Self. Catarrh of the larynx, of the trachea, of the
 mucous of the larynx, of the trachea, of the
 Catarrh of the larynx, of the trachea, of the

Self. Catarrh of the larynx, of the trachea, of the
 Catarrh of the larynx, of the trachea, of the
 Catarrh of the larynx, of the trachea, of the
 Catarrh of the larynx, of the trachea, of the
 Catarrh of the larynx, of the trachea, of the

Self. Catarrh of the larynx, of the trachea, of the
 Catarrh of the larynx, of the trachea, of the
 Catarrh of the larynx, of the trachea, of the
 Catarrh of the larynx, of the trachea, of the
 Catarrh of the larynx, of the trachea, of the

Dysp. *Stenosis*. dry cough excited by irritation in chest or scratching in fauces. Worse in the evening in bed. Vomiting at night. *Spontaneous* cough during sleep.

Cham. Dry cough at night caused by irritation in chest. *Stenosis*. rattling of mucus in the trachea.

Phleg. Acute discharge of mucus. Coughing is

large.

Acc.

Stenosis. Coughing. Cough mainly in the evening after lying down, relieved by sitting up and drinking. Difficult breathing with sensation of suffocation. Great muscular debility.

Sub.

Great deal of secretion. In female, granular *Stenosis*. Cough relieved by sitting up & separate by light down. Mucus & vomiting in voice.

Am. Carb. *Stenosis*. *Stenosis* cough. Mucus in morning

Submersary Calamity.

Do often shudder, and the beginning of the music

music frame is dry, and of small lot. Music not

Alcon. Heat local irritation, seeking still. Hoarseness

cough voice, hot skin, great thirst, even in throat

by dry irritation & coughing, quick pulse.

After noon, shivering, wandering about & sometimes

alternates with heat. Hoarseness by cough with

feeling of burning in the largest, deep cough with

dryness in throat. Scratching in largest, hoarseness.

Hoarseness especially in morning. Venous music.

Cory. Cough becoming acrid. Wicking in throat.

Hoarseness with shivering in the cold or heat.

Cough. More shivering than heat. Cough during the

day only, or cough only in the morning

Cough in exhaustion. Hoarseness

more S. Feeling of fullness in head. Venous heat

Disposition to feverish which does not follow.

By hoarseness cough at night during sleep.

53
Diarrhoea (continued)
St. vom. dry cough

Sand. frequent & deep yawning.

Rhus-T. yawning deep in back. yawning -

yawning each the whole chest, & even
at night.

Ph. Chronic Aphonia. can only whisper

low. At times & whisper early in morning

hawking of mucus.

Deep. deep rough voice. increased by damp

weather, never in morning. Cold deep

of the throat during each inspiration.

Retrot. rough & dry. present in the afternoon.

Dee. Bell & Cham when produced by a chill.

Car-vy & deep by damp weather.

Carrot. Bell. more. Ph. Deep. present at
Aphonia

Cataract (continued)

Euphr. esp. in iritis & phthoria.
 Eyes. Staph. & monophth. common
 in the eye.

St. frequent covering. Dryness in morning.

when making. Alternate dry & fluent eyes.
 great chills. for chronic catarrh when

fluent after being dry for a long time.
 Sch. fluent eyes. are always dripping
 especially dripping in the pupils.

Scant. total obstruction. absence of smell.

Pho. heat in head. ear-veg. frequent sneezing.

Nasacens

Bell. Rough. hoarse, weak voice. Patient unable

to speak a loud word. Cough not severe & ex-

haustion. Agat mpt. chills. Vomiting

after a cough. & lachrymator.

Opus. Making coryza. Nothing in the lungs

Here after But ——— Cops ———

There. Deflux. malar. discharge. swelling & excoriation
 of nostrils, sneezing, sneezing with fluxion of
 heat. purpuration at night. Violent thirst.
 hair in limbs. - by system as by heat & cold.
 Asphor. d. When the least exhum. & certain. cause a
 new attack. or when the patient has
 been seized with one. Catarrh of nose
 nostrils. headache as by mother.
 Duct. Discharge checked by heat & cold. & cold.
 by system as by heat & cold. by one foot.
 Dryness of the mouth & no thirst. Incurable.
 Offuse. When the coldness do not entirely relieve
 Reluctancy. nausea & vomiting. Asph. d. Asph. d.
 Carb-an. obstructed at night. Blood drawn from the
 nostrils. eyes. hair. due
 Suckling. Dryness of blood & dryness. sneezing. Asph.
 of smell. Copious thick & yellowish purulent
 mucus. frequently after Duct.

Cataract

New W. Dry structure. Affection & humors of the
 face & throat with heat in the face, hoarseness,
 larynx & throat in evening & dry at evening.
 Discharge of thick, yellowish, fetid mucus
 of a white, dark, small, swelling, fever,
 disposition to vomit, purging, humors of
 the head in the evening & in a warm room
 ameliorated by going into the open air.
 Child in evening, discharge of blood when flowing nose.
 Chlam. Increased secretion of saliva, discharge of blood
 corrosion erysipa, cracked lip, much heat &
 the other red, applicable particularly in children.
 Denudation of stomach of nose, & certain discharges of
 acid, thin mucus, coming out of the face, hoarseness,
 humming in the ear, Gradual with the blood
 pain, suffering ameliorated by heat.
 Heat, thirst & drink, but little at a time.
 Sleeplessness & bleeding at the nose.

Brom. Lavastam. + Kali-bi-chromat
 an remedy useful in the membranous form.

Lavastam, violent cough. Intermittent
 rattling in trachea, labored breathing.
 Pharyngeal sensation in the larynx.

Brom. Acetum + aphonia, rough, hoarse, dry
 cough with suffocating dyspnoea.

Pharyngeal closure of glottis, sneezing;
 rattling of mucus during breathing.

Kali-bi: Scraping in trachea which becomes dry
 with burning heat in the throat, hoarse
 & tenacious mucus, loud wheezing cough.

with exacerbation of hoarse, yellow, tough
 & sticky mucus, Eructating frothy cough.

The dyspnoea which occurs after breakfast
 High Aphor. Dec. Kali-bi. Dec. Kali-bi. Rhin-t.

Cate. Aphor. Rhin. Dec. Kali-bi - for loose watery cough.
 Pharyngeal sensation in the throat. A cough.

ant-em. Paratyphoid.

keroua (continued)

Alphar. J. When very abundantly increased after
 Acrostich. Very good form
 commencement. extreme care.

Rich quick hard, dark colored urine.
 Natural water, deep inspiration.

Alphar. J. & Alphar. in Alteration, after.
 When the catarrh has overthrown the command
 give Alpher. when very deep. Strong
 faint. eye, back of eye. has to sit up to breathe
 throwing about of the arms. irregular.

proschus.

Alphar. J. inflammation it extends to the

large. numerous. all with strong

Doc. Can. Alphar. in large. hanging up of

muscle. very feeling in the chest.

Proschus. of muscle. in the chest

and. Roughness of the chest

voice deep & hoarse.

Croup

Generally preceded by symptoms of catarrh.
 Croup, cold - croup, bronchitis, &c.
 Patients rise are convalescent from scarlatina
 or measles and very liable to be attacked.
 It is a sporadic disease as well as epidemic
 sometimes.

Acute often there is burning heat, thirst & the
 attack occurs suddenly, face red & flushed.
 eyes glittering, in some a catarrhal croup
 it is a specific.

Sneezing. An aphonic croup, hoarseness & wheezing
 quick & difficult breathing, croup even.
 hoarse in larynx especially when profuse.
 coughs in larynx, but little fever, rattling
 during inspiration, expiration of the face
 while sneezing. Rattling cough, the pa-
 tient grasps at the larynx. Cough. Hoarse, long
 ing & hollow, with fit of choking, throat & heat.

Laryngitis (Continued)

The. Hoarseness, coughing, burning & dryness of
 larynx. Hoarse voice. Averted of mucus
 during cough. Breathing short. Great
 restlessness. Irritation from the vapor of
 sulphur. Coldness of limbs & dry
 burning heat.

Stiff. Very acute pain. Cough more in the eve
 when lying down.

Red. Aching & itching in larynx & surrounding
 glands. Hoarseness. Emission of something
 in the larynx which cannot be coughed
 up. In chronic form.
 Cant. Denotation as though a ridge had
 lodged in the throat.

Red.
 Card-V. Very copious secretion
 of mucus. Dues. Sub. Horn.

Spongy, burning, burning with constriction &
 dryness in larynx, increased by coughing.
 Irritation as if a plug in the throat.
 Cough with frustration, hoarseness.
 In chronic cases with sensation as if choking -
 & frustration of glottis with mucous & solid lobe.
 Irritation in larynx, rough, scratchy feeling
 & dryness deep in fauces. Hoarse deep voice
 as if air were retained during cough
 Apnoea, hoarseness, tickling mucus
 cough, & bloody or frothy, denotation
 during cough as if the heart would be smothered.
 Pain impending of such, sensation of
 larynx, complete loss of voice, great
 fear of death, irritation of mucous
 membrane, shuddering while coughing,
 Sphagnum headache, constant dry
 cough.

Laryngitis (Continued)

Edematous form. Swollen and inflamed
body with lodged in upper part of throat.
Bloodstained. Dysphagia and similar to
Acute & Chronic form. No fatal disease.

Remedies

Acute. Cough dry. Swelling of laryngeal muscles.
Dry M. Cough rough, dry with irritation in throat
laryngeal muscles. Swelling of larynx at the
unilateral region.

Chronic. Laryngeal muscles with swelling in the
throat. Swelling at night.

Stephen J. Chronic case. Swelling at night. Alternates
with chill. Cough. Anxious breathing
with chill. Constant irritation in throat
by hyperventilation. Swelling of larynx at night.

Pericentia

Inflammation of Pericentia

Acute. Acute during rising hair, even throat
throat, cutting hair in the critical region -
Chronic. When inflammation arises from mechanical injury -

Laryngitis

Three forms

1st Acute. 2nd Chronic. 3rd Catarrhal

Acute form is characterized by chill, alterna-
ting with heat. Cough is associated in the
throat. Difficult deglutition, pharyngeal dysphagia
marked by friction, - Generally attacks people
under 30 years of age. has proved fatal in 24 hours.
Chronic form, inflammation of lining membrane
origin in region of the thyroid cartilage, cough ex-
acerbated by a tickling in the throat. Voice changes
top of voice, hoarseness. Breathy cough out.
Face pale, tongue white & coated with transparent mucus.

Wm. Dyer (continued)

James. Undulating movement in the abdomen.
Pain worse in the evening. As by sugar fasting
frequent eructing, increased & relieved by moon
Afternoon and most frequent & painful in morning
Tachycardia

Washington

Acron. Fever, irritability, erythema, during

discharge.

Dep. Urban Acen does not cure

Susph. bygone unscientific return of moon -
 Water. Term. (Part. A. irritability, hard stool)

Water. Tem. (Avg. 4. variability, head otolith)

Emse. bird circles around eyes - vomiting

China, Nervous constitution, Flatulencia

Thig. denotes gravity in throat - stands
smaller, a specific for round worms.

Inserendum, a specific for small round worms

Pres. Off. Conf. Secy. Dub. St.

Bemerkungen zur Cham. Mex. d'ye. Span.

Indeney Ahaewewa, Lake - , Auph. (See last one).
Jasna, Titimaa. Cuni haanatan. Aam. Sabaa, Idrabitt

Dasyc. thymus. Omic. bracteatum. diam. Sabae, Strabonite

Wh.-c. Old hemorrhoids. Smoker. Large bleedings

at each evacuation. Constant bleeding. Ery nodding
Mour Anemonic. Suppuration. Effusion with fulcrum of head.
Delus. Old protract + it. Hard tumor. Head when

trailing. Heat + swelling of margin of anus.
Pach. Pusculi discharge - anus often.
Calc. Great top of head. Hair in tumor.

Grath. Dering + bearing down in anus. Painful cracks.
Derm. Boils. Protrusion. Calc.

Worms

How and the species in the intestinal canal.

1 Round worm - Accaris lumbricoides

2 Thread do Accaris vermicularis

3 Long do do Toricaphalus disticus

4 Denticia solium. Common long tape worm

5 Denticia lata Broad tape worm

Oxyuris. Head as a variety of offensive breath.

Passia. Vermity. Worms abdomen, much enlarged

There

Stenorrhoid (continued)

Ure. itching & burning at anus. Blood in
 excreta burning. Pus from anus & rectum.
 Intestine itching - prurigo -
 Last 2. Similar to an. with Spitzers.
 discharge of mucus from anus which is curable.
 discharge of pure blood. burning, excreta blue-
 ish & white. Shingulated fish -

Ante & post. dump & disorder are then often
 for my white & yellow mucus. Alternate with
 when if itching in human with bleeding -
 Lepto. burning, itching, discharge of blood not
 but little fecal matter -
 Labina. discharge of bright-red blood -
 cutting in abdomen. pain in space of the back & thighs
 the patient is kind doubt.

Ag. Colic in human. Proctitis recti & an-
 ring the stool. Excreta from in the anus.
 No. 1. Excreting from rectum.

Demorrhoids

Generally occurs in sanguine, bilious temperaments
 Melancholic - sometimes dried & from humors
 which induce excessive heat during stool.
 It is always with it an inflammation.

A. Rem. Swelling, stinging pain. Contriction
 of rectum. Pain in lumbar region. Inconstant
 ing & stool. Evacuation of feces blood

In persons who are addicted to abstinent.
Sulph. Corrosive in syphilis & A. Rem.
 Measles complications & diarrhoea alterate.

Merging continues after use. Pain in lumbar region.
 Use after or in alternation with Opium.
Acid. When there is febrile excitement.

Highly & stinging pain in anus. Heat & humors
 bile. Present bleeding piles. Remission as if the
 back would break.

After. After Use. Painless & less constantly.
Opium. Better from motion. To have on

Etic (continued)

Ecce. Pharmacologic & flatulent ecie. Denotation of
emphatic. Burning pain in umbilical
incarcerated flatulency upward & downward
dyspnea nervous excitement.

Flat. In stomach - Ecie produced by passing when
bed. Involuntary pains. Contractive pains in pit
of stomach. Feeling of warmth with burning of
extremities. Pain in small of back as though broken.
rigidity of abdominal muscles -

Ecce. Violent ecie with intervals of ease. Denoting
of water, excessive pain at night or after eating or
drinking. Irritable burning. Thirst.
a muc. excessive accumulation of flatue.

Alumina. Excessive pain forward of stomach & between
scaphula. Pains in umbilical region.
Nausea. Burning pain in the pit of the stomach.
China. Biting. Shaking pain in epigastrium
In case every form capable of inducing a crisis
Hach coffee will relieve

Well. Color pinkish like a face, and by pulse +
beating double, clutching hair.

Cafe. Violent cutting hairs, cramps, inquietude, tearing
about, bilious vomiting, tenderness of abdomen, tearing
hairs, extending the legs, hairs coming out of eyes + those
hairs feel as though they were between stones. Aggravated
by straitening up after bending. Flatulencia, stools distended,
hoff. Vainly vomiting small later hairs, sometimes -
excess of hair coming the front of the eye out.

Cham. Tearing, drawing hairs, bilious vomiting + diarrhea
Similiar as if the intention were gathered into a ball.
Incarcerated flatulencia which occurs as if it would burst
the part. Fever stops in children. Pruritus of scrotum
Inspirator. Flatulent + spasmodic colic. But it is hair
in denser abdomen. Hair been sometimes after sham.

Pub. hairs high up in abdomen as by cutting a leg
showing moans with hair, pale face, pulsation in
left stomach. Abdomen felt round + tender.

Carb. distended with wind. Hair in the umbilical region
vomiting. Sensation of pulse upward pressing
deeply.

Mermia

Curum. Quum & Cice. Proferenda.

Cotic

Platend or Pharmacie Cotic. — Stemach & ventriculo

filled with flatuo. The humors in cotic are exp. by purgation
& not always according to touch. There are emulations &

harer yams.

Loac Cotic — Cane commencement of phagocytosis or

amblicus & vident all over body. De rad. povera
is indicated by a blue tinge & line around when the

quino at the base of the test. There is also an as-
bringed taste in the mouth.

Platend & Pharmacie Cotic. annation

of leg things about the nail. Purgation not of phagocytosis.
Purgation in phagocytosis. Cold hands & feet during the

harer. Ag by motion, and by rest. Purgation from a
other in stomach. Cotic of children. When brought

on by touching, with headache as by opening the eyes. Also in
juridical cotic with violent cutting pains occurring in the

mercury & affluency, by by sleeping. And by binding backward.
depharadaphan at night. Harer in mercurialis harthra.
mercurialis cotic — Anus

Off. In recent cases, most of them I saw at the bottle.
 Weight + weight in abdomen.
 Pub. usually 2 or 3 in. in length but must be a stand
 made unpurposed.

Plat. raised by travelling. Straining of the abdomen. Sudden
 eye. Lower part of the abdomen only in evening, urgent desire for stool
 + but little passed. crampy pains in rectum. Acute tongue
 fresh. Chronic, when catarrhus is delayed. In
 form of a sanguineous condition. Hemorrhoids, or chronic eruptions.
 Abdomen. Over hard dry & broken. great straining. Blood
 streaked stool. Chronic dyspepsia. form of the intestine most
 fresh after 2 or 3. Stomach in interstinal case

Operat. Abdomen tender when touched. Much pain
 Plumb. Denature as if a string were stretched across the anus.
 Carabog. Great desire for stool + pains on passing but
 flatulency. In old people. Const. Time
 late. i.e. Chronic. constantly increasing. scrophulous. Abundant
 Abdomen. Generally when given the coffee + sugar.
 Sphac. When 2 or 3 - does not wholly relieve

Cholera morbus

Cham - when occurred by anger, or cramps
 in calves of legs, cuts, purging, tongue yellow,
 spae. After cham if vomiting continues, cold & cramps legs -
 Nausea, copious vomiting & diarrhoea, violent pain
 in umbilicus. Coldness of body, bloating, humming in the
 ears, cramps in upper & lower limbs, weakness -
 Also, attack commenced with great severity, vomiting
 of blackish substance, anxiety, great fear of
 death, purging after drinking, vomiting frequent
 violent & spasmodic, tongue blackish, cracked & dry -
 Cose, — China, Purging of undigested food, & evacuator.
 occur after eating unripe food or in marshy districts.
 Dile, brought on by cold drink, evacuation frequent & green
 Gonorrhea
 Dry, little & rheumatism, ordinary habit, con-
 gation of blood & head - headache, shivering.
 My tone, irritate, body inflammation, humoral constitution.
 less of spirit, profuse sweating, some of cholera in Cham
 not requiring treatment - see 33th after

with blood mucus, cold & rheumatism, & in chronic case —
 Spae. In children with colic & discharge of green mucus —
 Rheum. Discharge of stool, pale face, sour stool, leucorrhoea & —
 Colic. In young carb. sour stool in children —
 Staph. Anus. Itchy & genitalo caused by military eruption.
 Abnormal case. Discharge occur at night. Acid di-
 charge. Slimy, watery stool with putrid smell - di-
 Under abdomen, swelling, costal pain, slightly diarrhoea
 caused by cold & accompanied with great tenesmus.
 Colic E. Chronic case. Day stools & evacuation, colic
 Dyspepsia during stool, pale & weak after stool. Motion
 Defec. Discharge of stool, sour stool, leucorrhoea & acid
 female, light colored discharge in constipated children.
 Ph-o-c. Stool frequent, slimy, accompanied with hair
 Ph. Brown tongue. Increased by shifting & vomiting, chronic flatulency
 Ant. Case. Watery discharge with gastric derangement
 When J. ingested diarrhoea with pain & tendency down lip, as by
 eating & drinking. After 8. Some with hiccups, colic & obstinate.
 Defec. Mellow, watery with feeling of emptiness in stomach.
 Discharge of stool due to obstruction by rectum off of stomach
 & quality known underneath.

Diarrhoea (continued)

Cham (continued) Pains or not of a moderate degree

at night - diarrhoea during dentition. Antidote
 dose of chamomile tea with coffee. Then administer
 taking soup on dissolution of abdomen.

Chorea. Stools earthy yellow, cohesion + undigested occur
 at night - Pains - Anus - colic before stools.
 Stitches during stool. Flatulence, after evacuation diarrhoea
 then caused by acid or fruit - in latter persons

Diarrhoea. Stools frequent, watery + painless. Undigested
 + occur soon after eating - Common diarrhoea, associated
 with a white, diarrhoea of children + even in the infant.

Diarrhoea - Stools changeable, diarrhoea occurs before onset
 or immediately when rising in the morning. Stools
 increased by acid + ammonia - liquid + frothy stools

which have most watery appearance, produced by some acid.
 More J. diarrhoea watery, greenish with leucorrhoea
 feeling of coldness or chilliness. Vermiform, bloody stools.

Also watery brownish mucus after eating or drinking

Calc. Billian vomiting. White mucus in excretion.
 Chills over back. Pukes small & quide & perspiration ceases.
 After fever in full depression —
 Great — Vertigo of face in watery discharges —
 Cant. — Stool like scraping, streaked with blood, criss running.
 Cant. — Disturb. by anaphora. Burning pain & swelling.
 All. — Intractable by all-remedy. Burning pain burning zone.
 Cough. Violent cutting pain, green frothy discharge. Puke full strong.
 Diarrhea —
 Dile. Degrad. greenish erythematous stool. Always
 preceded by colic. Pain remitting after the evacuation.
 Calc. at night at umbilicus, night by evacuation —
 Inward of anus during the area — seems in after
 a cold & stool have but little effect.
 Dry. Burning brown zone, not indurated food.
 Occurs by cold or cold drinks & when cannot
 by checked perspiration, caused by eating milk,
 Hy. Hyaline, by drinking impure water & by anger.
 Chann. White mucus discharge. Acid stool —

Dysentery Acute catarrh

The mucous & coarcted primarily affected.
 Hemorrhage - Chills, Green, Cham, Dry, M-tem-
 perature. One appetite, great thirst, constant
 cutting pain in bowels, stool of pure blood
 and mucus & occurring in sections.
 Greenish, passing over with cold mucus & blood
 Hemorrhage all the time, mucus at night, discharge of
 bright red blood, Green mucus over like stone eggs -
 Chills, heat, white pain, bloody mucus & mucus
 Bell, Anus in blood, strong desire for cold drinks -
 Pelvic individuals with no face, Delirium
 M-tem, Small frequent stool of bloody mucus, intense
 heat with great thirst, Urine light red, violent cutting
 in umbilical region - the after Green & Dry.
 Cham, foul tongue, yellow stool, no food stage of disease
 Ecce, Cramp like pain in hypochondria which causes
 him to double together, and by force, Dysphagia
 White tongue, same excited by eating or drinking

Gastrodynia. (Cramp of Stomach)
 M - M - Spasmodic pains as after meals & coffee
 Watermark. Vomiting, effusion of sweat, decomposition
 heat. Remission. In spasmodic tenderness.
 Chills. Heart beat increased as after meals.
 Headache in winter at night. Frequent colds, all with colic.
 Bile. Involuntary spasm of stomach & slight stomach
 bend back. even after every dinner & cold & water on mouth & throat
 Cold & Choking. Voluntary spasm of food, flatulence, burning pain.
 Loss - After 40 years without weight - marked
 Age - Spasms in the region of the solar plexus
 Late C. When bile does not arrive - In females, spasms
 at a cold stomach. Spasms in stomach with general
 & irritation of peritoneum, large acid abdomen in females.
 Dry. Spasms as from a stone after eating bread as by mother.
 Also. Violent spasms caused by eating. not good in chronic.
 Change. Difficulty of breathing flatulence, general burning
 effects & tendency to Spasms. Age when caused by
 a strain or Stone. Disinfect. Flat m. Baryte. Each
 Steam Bath

Gastralgia

Heart burn. Cant. 2^og. Great constricted. violent
 association with flatulency. Sour eructations after
 taking milk. Burning in stomach. Denudation of
 something between in oesophagus —
 Heave. Fullness after a meal. Sour vomiting.
 Burning at pit of stomach.

Stence. Sour taste in mouth. Sour after every meal.
 Heart burn after every meal. Flatulency. Discharge
 of water from mouth during stooping. nausea in morning.
 Suffer of stomach similar to hepatic. Gravel in stomach
 Cant. An. Distant taste of ingesta
 Full - Sour. Bitter taste in morning. Denudation of
 warm eructation in the oesophagus. Water break
 graving in stomach.

Phlegm - Water break. Inflamed to top throat. Sour eruct
 after every meal. Sour after eating fat. nausea
 bilious vomiting. Burning heat in stomach.
 Slight - taste of sugar. Sour in the whole day. Sour vom-
 iting + cold sweat at night. Fullness. Heart burning
 in stomach.

Dentalgia - *Stomachic*
Remedies. All. Cham. Op. Lem. Pul. Duck.

Angina (See *Throat*)

Symptoms. Stom. Dry heat, fever, impatience, anger
 Redness of face, throat, headache, fainter dysphagia.

Bill Pain as if irritated, scraping, dryness
 Burning, itching pain when not swallowing.

Constant desire to swallow, food which the patient
 fears to swallow, inability to swallow. Voice more
 swelling of muscles of neck, weakness throat, high
 fever & hæmorrhage during ulceration.

More. When it appears when slight changes of
 weather & after acute cutaneous affection

Very common - inflammation of uvula & oesophagus
 of filly in throat. Scraping and feeling in pharynx
 small ulcer, which begins caused by cuts

Pain, dark, acid & various vesicles - dryness of throat -
Sphincter is scarcely ever called for when there is stricture

during dysphagia, but in malodorous angina - filly in throat.
 Note. When from exposure to rest with frequent exertion of muscles
 of throat better after more.

Stomatitis or Stomacae

In late stages the whole mouth affluens & is covered with
a milky curd. Pain and fever excitation, numbness &
stern - When thus and febrile symptoms & swelling
Occ - Mouth & fauces, inflammation, dryness of throat.
Larynx - Cough very sore, redness & swelling, difficult talking.
Cavity - Dry mouth & throat, accumulation of mucus at night.

Artem - Burning heat & inflammation

Alters of - Tongue principally affected. Burning pain -
Tongue stiff, swollen & coated. Burning diarrhoeic stool

Dile. When the disease arises from acid - Disph
Lith-ac. Stinging ulcers, though something resembling in

the sore. Fetid mucus of the mouth - Demolitive spongy granu-
lo-a - Ulcers, small & small, China - moist gangrene

Shewash

Althoe

Coray. Acrid formation of foamy foam.
Such as. Mouth & tongue covered thickly with white
Alters of. Salivation. Disfluens & ulcers

Limbs

Static. Can as of spine in mass of body.

cannot make the slightest movement laterally.

Ball. each erect joint, thus, ^{inflexible} joint by motion

Also, can make of back, arm, leg, hand, wrist

Median. When the spine is bent returning from erect.

Also. Can turn round with facility of flexibility.

Cervical

Also, for high inflammation. (See Arm, Cervical)

From 100 to 150 lbs. contraction, by hand movement.

Also turning joints. (See Arm, Cervical)

Wrist, Canot. (See Arm, Cervical)

Pleurisy

Can during respiration. no cough but with pleuritic exite

Also. When produced by some external cause. (See Arm)

Also. When both act of muscle and inflammation

Also. (See Arm, Cervical)

Neck

Neck is almost always produced by dysphagia. (See Arm)

Neck - dysphagia. with dysphagia of respiration

Rheumatism

Continued

Thus I often brought on by exposure to cold. These

inflammatory. shooting when touched. situated often

tender. ligaments & synovial membranes. etc. in not

stern. exaltation of muscle. elevation of paralytic

haetic suffering — Chorea. at night with

chill over back. ^{as by touch} chill when the part is uncovered

haetic dyspnoea. pain in the back when —

etc. burning stinging. etc. by cold air & and by warm &

circato relieve — Cure — at night. limbs warm

as if asleep. fractility to move limbs. bad smelling perspiration

innumera Quittas. wandering, lancinating pains —

shed — caused by changes in weather. More at night

stinging heat. inability to go to sleep. Drawing in joints

etc. illmatic heat & chill. aching at and around

aching at labors & dorsal vertebrae —

Double. tearing, drawing stinging pains. excited

by slight chill. shivering between sleep & heat

when one is in bed

Rheumatism Continued
 Dry - leaving, shooting & tense pain, increased by motion
 shifting pain in muscles, not arising - sharp night - pain from
 above downwards, sticking pain in white body, headache in
 forehead & vertex, coldness & shivering - feverish & irritable temper,
 bile, Great pain. Burning pain, as at night by contact.
 Fever high with fluctuation of cardiac. Stuffed face. Pain in
 the knee joint as by motion, cartilaginous altered by pressure,
 they quickly shake with thrust. Burning pain in hip joint,
 with paroxysms at night, cannot bear pressure of clothes.
 Urine, Denatured as if burnt & watery on a burnt substance,
 (Abundant of these), these what cannot know, by motion -
 Urine, Agitation & lifting, one shake red, paralytic, affect the
 tendons & ligaments more than the muscles, no swelling, separate
 by getting into a warm bed at night

Cold, Reaction in afternoon with dry heat. Pain over white body -
 the urine is vomiting - off by contact & motion -
 More, Alternating chill & heat or internal heat with chill evening
 over the affected part. Shivering & remission of coldness in hand
 Cold - Shivering & Am by increasing the hand

Melivaria (Beak)

Scattered, small swiftness. One seen in children -

Amur. Hoff. Sp. Arg. No. Bee & duck -

Articaria. (Dettle root)

Caused by indigestible food sometimes. Seen in children

by symptoms very high. Pale. Spas. nausea vomiting.

Hot. Temp. Constipation. Sub-gastric distension

that caused. Malar. Diarr. Dec. Rupture of face.

Arthritis. Joints -

Include Rheumatism & Gout. Trembling excruciations.

The Rheumatism the large joints are affected & the joints

between muscles agonized. For Gout the smaller joints are

affected & the attacks induced by Disposition -

Rheumatism

Pericarditis. Endocarditis. Disphragmatitis

When the intercostal muscles are affected it resembles

Rheumatism. When. Intense fever. Heat. Redness & swelling

increases rapidly. flushed face. burning skin. multiple

throbbing & long lasting pains, insupportable at night - self by heat

when by sitting

Cysticercus

Shedding of face & hairy scalp. Crustacea. Dorsal eyes. Head in

head & difficult deglutition. Can in growth increased by

movement. Stop of consumption. Photophobes. Delirium & for

the commencement of disease give little

Thus in cerebral variety, tendency to become confluent.

when it resembles oscaration - & when there is high albumen - then

Cham - Delirium & system. Toothache &. Grasp - glossy

redness of face. Fever which continues to increase. Drowsy & face.

when the eruption first appears on the face & extends over the

whole body with sensation as of cutaneous elevation -

After death. Eruption of face with lividity & tumor & last state

Pub. little. When the disease flu. becomes part to another.

When. caradagis - When? for the secondary system.

Also. Gangrene. Orifices. A dark hue & when there is burning

Starts. Respired eruption. last. A few small ulcers -

(Children Or) Parvella - Thus varieties

of conformation - irregularly circular. 3 Comoidal - acuminata

3 globular - globular large. Eruption commences when the

most black with itching -

the little. More. less. less.

Varicella (continued)

Leham. for children. Sham. in second stage.

Most term. Cham + Dry - when there are gastric aff-
 more - ~~other~~. See ulcerated throat. salivator + diarrhoea.

Blue - for children during dentition - with dyspepsia

Red. Gastric derangement with vomiting. Shock - dyspepsia -
 tho. & cephalic neural + great prostration -

Dark smut. Rudolph's formula of menth + larynx & bit -

Swell - for beginning to avoid cruettes in coming out.

Give no remedies to avoid denudation - Varicella, good

in exanthematic stage - Vaccine. Present putting of skin & is used
 in all stages of the disease. Fine - Chi. hot forehead -

Canth. will sometimes cause a pustule. Mark is elevated.

Cham + Dry - when the face swells + dysphagia symptoms appear

Plat-a. Mur. + Aloe dr - for Canth. - Boil. Swell. Nitro + Phosph.

The warm ointment is kept dark to prevent hitting. Rhenops

should be cold - Avoid animal food -

Varicella

Dysphagia nearly the same, but milder than is
 Varicella + treatment similar

also for subacute crathion. Falcenp alternating with
flunks of heat. Dry cracked tongue, drinks, acidic
Muc. vom. China, Phosph. Marsh. & Mee for
subacute crathion. Steam - delirious, desire to hide, difficult deglutition

Subph. typhoid syandion & puriform exprostration.
For the cough give Cham. Symplic. Lamb. & Symplic.
Otit. Cat. Cat. e - Pilule. - both drinks sparingly
Purmitte. Lake Meade. Meade. The crathion
aphan is circular fracture. Small vesicles between eyes.

Small Fee

Syandion. Pain in back. Pain in left Stomach when puriform.
The eighth day the purities are full size, yellow, orange & has
direct any fever. - Acute in stage of excitement.
Cat. Prax. syandion. Phosph. & Mee. Phosph. & Mee
Otit. Symplic. Use in commencement of crathion -

Run. J. Day. & Day. in Rheumatic pain - Legg is stage
preceding the crathion, uneven irritability. Oxygenic
avoid the crathion when there is a little heat is the
mount. Shooty pain is the least when breathing.
Phoscartha. is Vermif. nausea & diarrhea

Dysphagia from Measles

Dysphagia, fluent cough, hoarseness, dry cough, increase of
headache, diarrhea, cough & fever —
fever & cough, affection of eyes & ears, increase of the
the vesicular eruption. Rash appears after 4 days —
generally ends after 9th or 11th day. Eruption on
arms & of consecutive form.

Acute is considered by some as a specific. Measles
sympthoms, dry head, heat of head, aff of organs of deglutition
in children, convulsive syndrome & grinding of teeth.

Laryngitis, for profuse secretion of mucus.

Cold, is considered a specific & a prophylactic.

Inflamed or extreme inflammation of ear, nose & throat.
Rhe. low throat, headache in forehead, dry cough & heat

Salivation, laryngitis, Deslign. Emulsion, feeding of milk.

Dry, Rheumatic pain of limbs. Inflammation of Pleura & lungs.
Pneumonia, low cough with oozing of chest & also when

the cough is driven in by cold.

Spice, Nausea, Vomiting & Anorexia.

Exanthemata *Scabiei*

The variety - of ulceration has commenced, ulceration +
 give more 12th + discontinue when ulcer become hard
 of them. When there is swelling of glands
 of them - bluish, delirium + convulsions
 also for extreme prostration. When synochal fever, high
 cold, Stomach, tossing about, itching of skin. Eruption like measles -
 blue, macular, Orphel - dysphagia + involuntary micturition
 Suffer + even alternate is Scaphoid patients.
 Kali Carb. When the Parotid is affected, with pain + morose -
 Camph. Rattling at pit of throat, cold or humid.
 Bry. Orphel. Scaph. Orphel - in aculea eruption.
 Acetate of Lead 1st hit, when given symptoms from aculea eruption
 Acet. for dryness swelling of the throat.
 Mercury, swelling of parotid gland. When for swelling of sublingual glands.
 Hydrarg. 8 + 100 for inflammation of glands.
 Dose. for Scaphoid after fever. 40. 20. 10. 5. 2. 1. 1/2
 for after action of chert. Hydrarg. 100

(continued) Apr 24th 51
 Apr. When the patient is unconscious, bacillinae move
 loose, bacillaria. Heat of surface cold, dry heat, and cold
 of surface, becoming warmer, of movement, stupor with open eyes.
 Sweet, sticky white, by effusion, lying with clots, as if as best
 China. Diarrhoea of undigested food.

Phos. M. Arteriosclerosis. Cutty in heart.
 Cachectic of heart. Rheumatic pain in heart.
 Heart. Shifting in carotid. When it occurs a
 hummus like. Dry skin & tongue.
 Purulent. In inflammatory stage. Leucocytosis
 is common. drying mucus in heart. Burning
 heat all over body. Swollen heart. Spontaneous
 gum. Overgrowth of when working in solution
 Phos. M. a. burning of pit of stomach. Stimulation
 burning. Some for acid drinks. Burning sensation.
 Also. When there are strong abdominal pains.
 Heat. Inflammation during late stage. Phos. M.
 during 40 minutes 3rd
 Card. Reg. Weakness. Small pulse. cold sweat
 when exertion of. Burning skin. Stimulation.
 Burning in chest. When Phos. M. a. for similar symptoms.
 Phos. M. a. strikingly affected. muzzling when ma-
 king. Phos. M. a. every 3rd heat.
 Phos. M. a. when there are bilious symptoms.
 Phos. M. a. & moved heart. muzzling of stomach.

2238
 (Continued)

Amundin - Nut born. Skull mixed with leaf

fire & lightning. death of death.
burns limbs, the dyer's produce by alcohol
drink - Give it in the evening. China

drink - Give it in the evening.

Aug. - White tongue, Vermiciformis - Decph

Astrinum is good in *Chymus* & *Stomach*.

Myrica. with cerise pyramids.

Ala yellow ochraceous to dusky in urine, it is farinate
 Stibium induratum, carbonaceous & intermixed with iron impurities.

Slaves are. Demeritery. Invasion. Excitement & Calamity.

My dear Mr. Wilson, we shall be glad to hear from you again. Very, very truly yours, Wm. Lloyd Garrison.

to heart. Still at night, heart in mine - throat. Patient appears
to be affected with Quinsy afflavit. Insinuates

It is observed with increasing frequency, particularly in the West. Deadlyb. Vestito, Brown, Dry Tongue, fear of death.

Hein in chert. den dykhu. denation through

whole body was bruised, death on the touch.

dread of them are - Acen. Rhin-ty

Feel in early stage, birthings of friends &ed. suffering

4 enclosing. Fairly in ship. The
head ash. The rest of the
Hemlock & yellow oak. Hemlock & oak.

headache, diarrhoea, and on one face erythema
hemorrhagic, moist and hot, dry, red, hemorrhagic.

head ash. chestnut air and an orange. bright
monardella moist and tan. very dry. and. handkerchief.

headache, morbidly moist and hot, tongue dry, and parched throat.

near the mountain by water and then, again dry and parched up.

Loose, Dyspnea, Burning at anus, sweat from back movement
by eating, coffee, smoking or by concealed Chagrin

Chorea. Eccility from loss of blood or drastic medicines.

Want of appetite. Cold feet. Weakness of heart, dangerous cold limbs

Waxy yellowish skin. Headache at night. Dyspnea. Intake
More, flat, acridly phlegm, distension of abdomen

Alternate shivering heat, burning in throat, throat pain & dark.

Weak, Stultance, Bumbling in house, fainting, after exercise.

Cold sweat. Cory. Sanguine temperature. Stomach shivering in morning

Sulph. Head & feet cold. Chill in back, from below upward

Internal burning & red face. Pain in tip of head, burning in mouth.

Obstinate desire, dentate in mouth. Much abdominal pain & heat

ery. Feverishness offensive & catarrh

Remedies. Acute Induced perspiration

Bill - Headache for head, eyes red & shining, face red & swollen

Grey - Shivering with heat of head, internal heat, Dyspnea

Headache as by motion. Irritation.

More, sweat for cold water. Involuntary cold long

Desire of sleep during the day. A disposition to frequent perspiration

Excellent *Drugs* (continued)

Stomach - Great sensibility to light, noise, & great
aversion of food. Dry also. Pain forehead as in morning
Cham. Bileous system, furrow, even bitter taste of food,
the cheek red & the other face, little hair, hair in limbs longer
Stomach - Stools. Aversion to fat food, desire for spiritous drink
frequent throwing out absence of mict. Does hate & eat
alternately. I Chattering at the pit of the stomach

Int. Circ. Excessive vomiting, vomiting of undigested
food. *Spice.* When caused by change in weather, tongue
red & thick & yellow. Aversion to food, pain in forehead

Intestinal (continued)

Citric. *Spasmodic*, cramps, drawing, nausea, vomiting, headache, which by
Bell. of tongue covered with a thick coat. Demotion as

there & the brain would give through the forehead
Difficult deglutition, aversion to drink. Children & females
often exposure to cold. Short, quick pulse. Heat of burning
This intense burning, top of apoplexy, extreme insensibility

frequent headache.

Smitten Treva

Distinct from yams with umbilicus generally in the morning
 Galia Zaire, Billow, Chervos & c. from different systems
 sporadic, endemic & epidemic. Most met with profus
 under, if become more constant, tendency to congregate &
 local inflammation. Leaves, Umbonata, umbilicatus del &
 Ant. crua. washing. Day 2. Jack of forest in the month
 Chan, Mental emotion, Chagn, Day, Child & cold drink
 The, Chervos, Chervos, Chervos, Chervos, Chervos, Chervos
 Discrepancy, Discrepancy, Discrepancy, Discrepancy, Discrepancy
 Ingastric fever in after food, Herpes, Catarrh & out of her
 local inflammation - Steen, Bitter taste, dry, hot skin
 full pulse, hyperphoria, gualitism, frequent sneezing, redness
 Day, of course by cold or chagrin, irritability, worse at night.
 Transitory, when it fluctuates from into the system from mental emotion.
 Internal heat more developed than external, heat third
 Headache in forehead relieved by pressure. Line 2.34 12th & 30th
 Relief after 4 hours more high. But generally every day.
 In form, will often about the disease with forming stage.
 After vaccination in other air, yellowish or red, hot face.
 Denotation as if limbs were bristling

Intermittent Fevers (Continued)

Hot skin. With gastric affection.
Heat & anxiety. Constipation. cold sweat
admitted in it at night. Stitches in abdomen.
Hiccups. Chills increase by
external heat. Gastric symptoms.
The evening. Simultaneous chills & heat or neither
well developed. Anguish in the precordial region —
Restoration of strength

Hot skin. Pain in liver & back
Cold legs. Thirst during the chills only. Chills
associated to melancholia & chronic confinement —
Pilo. In Quetiana. Thirst during sweating stage.
Verat. Atropine with internal heat. Thirst during
chills. Pain in back.

Cold. Weakness in small back. Humid affection.
Dry. Chills incontinently. Chills incontinently
Ignata. When heat is confined to the skin —
Lina. Headache with hot face.
Sabad. When. Infiltration. give Bell & Hyoscyamus
to destroy the effect of Quinine.

2024. Cases are occasional & usually
 Angerme produce Bileus. Prigdyphus.
 Oridea into Cordemic Phidemic & infective
 The action of Put-a is a grand disinfector agent &
 better than Chloridiforme. The temperature of the
 patient's apartment should be about 70° Farenheit
 Nearly white washed rooms are bad. Flammaceous diet
 can't drink & weak black tea. Barley Water. Sweet drink
 should be avoided. Intermittent is a poor fever
 Paragon cuts breast & breast Aphorism. It
 Immense & system in most cases is a continuation of
 fight around the wrist, while the patient complains
 of that, he is not far from the disease. Period
 day is the type. Remedio - China
 mind before or after this heat or during the sweat.
 uneasy sleep & yellow complexion. Stool soft & wet
 + cost. to others. Still inflammation in the air which
 divides in a warm room. Ocean most is afternoon
 Stuttering. Baitie. Heat of forehead
 duobut of disease is aphidic in higher
 grade of fever. Duration of throat. The acute disease

Gonorrhea (continued)

When urging & burning micturition. More

Use it also in Gynorrhea & any other move when
Can, Canth. Rho. Chondrocarpum Canth. Rho. & Hyg.

For inflammation of testicle see Rho.

There is no occasion to use injection or exsternals.
In Gonorrhea Canth. is the best remedy.

Dyscosis. (Gonorrhea)

of uric, cutaneous disease. Should most frequently when labored
Remedy, when margin of anus, genital &c. There aggravates the disease.

Hygie is the great remedy. Its counteracts the surface with the
green juice of Hygie, which is best in that condition with
large dose. For discolored Sycein give Opitac — Hygie

" complicated give for some amide in for some. More amide in
for Hygie & if very chronic give Hyg. In the best

Burning excrements and excrements —
Dyscosis. Give. Hyg. quick hygie —

Remedy for mixed urine Canth. etc. But, Rhodod. etc. etc.
Critical hemorrhage from eye, nose, mouth &c.
Critical Diarrhea

Am Beede *Genesha* durch die Haut d. H. mit einem. Die Haut d. H. ist grün.

at present the charge is given
in books we speak, before we speak, and
then much has been said in the
theology of the church.

Sylvius

There is almost a specific. Primary chancre here does
When the ulcer is jagged we change & alternate with

Wenn die Arbeit jagged wie Shiga + Alkoma mit
Caut. Mucic. Nitric + Calomel -
Wenn warty wie Shiga. Stahl Dec 10 -

Zonoverha

(3)
first det. seen first. then learn & let it last
6 or 8 days. When steady discharge doesn't increase
for while discharge subsides, after Cann. South. N. from
the discharge has ceased & there is pain in urethra,

inability to urinate. frequent urging to urinate
When there is pain in neck of bladder & bloody urine

give Earth. For great Earth before
the sky was. Then out of the earth and dust

give dye - anastom (only in early stages) give
one drop of Balsam Terebinthina

222

Prof. Delmonico

Paris

Excuse or "Touch me not"

First indication is an itching then ulceration
like a cancer. It arises from a tuberculous
defect in the skin, the seat is black.

Ulceration indicates also, Rheum, Mercurial filth.

of humors appearance of the tongue in acute

disease is dangerous except in mercurial attack.

In decaying the tongue is black, green, red swollen &

bleed easily, the saliva in degeneration is *insipida*

& frothy & assumes a rounded shape when expectorated.

Swelling in the throat indicates paralysis of these organs.

Swelling of the eye indicates disease of the abdomen.


Induration of Brain difficult digestion is a bad sign.

If we rely ^{on} ~~follow~~ ^{it} ~~accounting~~ it is a bad sign & "vice versa"

Effluvia ^{of} ~~accounting~~ ^{to} ~~arise~~ in water, from


that it is from the liver. When frothy, it is

evacuated from seat of stomach, Relief from
having these for dinner is infrequent.



Wm. McKean

Wm. McKean
New York, N.Y.



Constantia

Page	Index	Page	Index
24	Althaeae	24	Scorpio
23	Althaeitis	23	do Anthraci
26	Angina	26	do Intermentum
68	Asthma	68	do Remittent
70	do of Millae	10	do Syphilis
76	Angina Pectoris	12	do Scorb
60	Bronchial affections	3	Bronchitis
61	Bronchitis	22	Croup
22	Coxalgia	23	Glaucis
34	Cholera morbus	27	Glaucis
25	Cancerum crui	28	Rheumatism
34	Constitution	29	Rubella
36	Costic	77	Syphilis
47	Croup	36	Scorb
50	Cataract	39	Sore throat
54	de Pulmonary	52	Small Pox
74	Corditis	76	Stomach
37	Cough	39	Throat
27	Dysphasia	1	Urticaria
30	Dysentery	21	Varicella
31	Dysuria	43	Varicella
71	Erysipelas	14	Varicella
74	Endocarditis	18	Whooping Cough

Plum
Crown
Agave
Jesuitum
Cedok
Jaco
Non
Vire

